

MiVoice Office Application Suite User Guide

MAY 2018

DOCUMENT RELEASE 5.1

USER GUIDE



Table of Contents

1.	Mitel Communication Service - Technical Manual	1
2.	Notice	3
3.	Introduction	4-6
4.	What's New	7-11
5.	Real-Time Reporting	12-27
6.	Client Installation	28-40
7.	Call Recorder	41-47
8.	Filters, Folders & Settings	48-54
9.	Appendix	55-80
10.	Index	81
11.	Mitel Back Page	82

NOTICE

The information contained in this document is believed to be accurate in all respects but is not warranted by Mitel Networks™ Corporation (MITEL®). The information is subject to change without notice and should not be construed in any way as a commitment by Mitel or any of its affiliates or subsidiaries. Mitel and its affiliates and subsidiaries assume no responsibility for any errors or omissions in this document. Revisions of this document or new editions of it may be issued to incorporate such changes.

No part of this document can be reproduced or transmitted in any form or by any means - electronic or mechanical - for any purpose without written permission from Mitel Networks Corporation.

TRADEMARKS

The trademarks, service marks, logos and graphics (collectively "Trademarks") appearing on Mitel's Internet sites or in its publications are registered and unregistered trademarks of Mitel Networks Corporation (MNC) or its subsidiaries (collectively "Mitel") or others. Use of the Trademarks is prohibited without the express consent from Mitel. Please contact our legal department at legal@mitel.com for additional information. For a list of the worldwide Mitel Networks Corporation registered trademarks, please refer to the website: <http://www.mitel.com/trademarks>.

Windows and Microsoft are trademarks of Microsoft Corporation.

Other product names mentioned in this document may be trademarks of their respective companies and are hereby acknowledged.

MiVoice Office Application Suite
Release 5.1 - May, 2018

®,™ Trademark of Mitel Networks Corporation
© Copyright 2018 Mitel Networks Corporation All rights reserved

3 Introduction

About this Document

This document is designed for users of any of the following MiVoice Office Application Suite features:

- MiVoice Office Call Reporter (Historical & Real-Time)
- MiVoice Office Call Recorder

This user guide provides information on how to use the various features of the products. For information on installation and configuration, please refer to the Technical Manual.

In addition to this user guide, there are quick reference guides available for each of the products in the MiVoice Office Application Suite solution.

Chapter 1: Provides an introduction and overview of the different features and the browser requirements for access.

Chapter 2: Covers the real-time reporting features of the solution.

Chapter 3: Covers the historical reporting features of the solution.

Chapter 4: Covers the call recording features of the solution.

Chapter 5: Covers other features of the solution such as filters, settings and folders.

Appendix: Covers details about the data columns available for historical and real-time reporting.

Introduction

MiVoice Office Application Suite provides a suite of products designed specifically for the MiVoice Office 250 telephone system. The products within the suite work with the telephone system to provide a rich platform of unified communications, call recording and reporting.

Products within the suite include:

- Mitel Phone Manager -> A unified communications platform providing call center and office working features
- Mitel Phone Manager Outbound -> A progressive dialer aimed at improving outbound tele-sales worker's performance.
- MiVoice Office Call Reporter -> A mixture of historical and real-time reporting designed allow in depth monitoring and analyses of calls and users.
- MiVoice Office Call Recorder -> An IP call recording platform

This user guide covers the call reporter and call recorder products. For more information on Phone Manager and Phone Manager Outbound, please refer to the dedicated product user guides.

MiVoice Office Call Reporter

There are two interfaces available within Call Reporter product to analyses system and user performance:

- Historical Reporting -> Run reports to look at data over a configurable date range to review and compare performance of trunks, hunt groups, extension and agents*
- Real-Time Reports -> View real-time statistics of the current day's activity through either a Wallboard or Dashboard interface.

* Some features cover in the user guide (such as agent based reporting) are covered by separate licensing.

This user guide explains how to use each aspect of the call reporting solution.

MiVoice Office Call Recorder

MiVoice Office Application Suite includes an IP based call recording solution which can be used to record up to 250 IP extension within an organization.

Features includes:


- Exclusion/Inclusion list for controlling what gets recorded
- Fully segmented recordings to track calls as they move around
- Pause/resume options
- Options to save and email recordings or sections of recordings
- Granular user access control


This user guide explains how to use the search and playback feature of the solution.

Browser Requirements

The system is managed and accessed through a web browser. The following web browsers are currently supported.

Browser	Version	Plugins
Microsoft Internet Explorer *	11 (not in compatibility view)	Windows Media Player v10 for call recording playback
Mozilla Firefox	45	
Chrome	49	

 * Microsoft Internet Explorer can be used to access the website, however performance for the Real-time Dashboard can be slow. When using the Real-Time Dashboard, Chrome or Firefox browsers are recommended.

 If accessing the website from an iOS device using Safari, the normal redirect does not work. Instead, use the following URL: [http://\[ServerAddress\]/Login.aspx](http://[ServerAddress]/Login.aspx)

Real-Time Wallboard/Dashboard Requirements

To be able to access the Real-Time Wallboard/Dashboard client device needs to meet the following **minimum** requirements. Please refer to the [Browser Requirements](#) section for further information.

PC Hardware Requirements

Processor	Intel Atom x5-Z8330 or better
Memory	Minimum: 2GB RAM Recommended: 4GB RAM or more
Network	IPv4, 100Mb / 1Gb LAN
Hard Disk	Minimum: 32GB free space
Video	Minimum: DirectX v9 compatibly graphics cards with 120MB RAM Recommended: DirectX v9 compatibly graphics cards with 1024MB RAM


Tablet/Mobile Hardware Requirements

Tablet	iPad 5 or higher
Mobiles	iPhone 5s or higher

4 What's New

Version 5.1

This version of MiVoice Office Application Suite sees the introduction of 'Real-Time Reporting' services, Mitel 6900 Handset support, Call Routing, Calling Party Number Substitution and other updates to existing features:

 If upgrading to 5.1 SP1, Phone Manager Desktop client software must also be upgraded if using the Call Recording Pause/Resume integration.

Automated Softphone/6900 Credential Updates

To simplify the deployment of 6900 phones and Phone Manager softphones, MiVoice Office Application Suite can now query SIP phone credentials from the telephone system* to simplify deployment.

* Requires 6.3 SP1 & CTGW 5.0.64

[Link to the Softphone/6900 configuration section](#)

Automated Teleworker Provisioning on MiVoice Border Gateway

To simplify the deployment of 6900 phones and Phone Manager softphones as teleworker phones, MCS has been updated to use the MBG provisioning API.

[Link to the Teleworker API configuration section](#)

MiVoice Office Real-Time Wallboard & Dashboard

View real-time call, DND* and ACD* statistics through the MiVoice Office Application Suite website. Users have access to single statistic and ticker tape tiles in addition to media streaming.

* License permitting

[Link to the Real-Time Reporting section](#)

MiVoice Office Call Reporter Enhancements

Historical reporting has been updated to include DND* and ACD* based columns/reports. Keep track of when agents login/out and see how much time they spend wrap-up or do-not-disturb.

* License permitting

[Link to the Call Reporter section](#)

MiVoice Office Call Recorder Enhancements

Remote MiNET IP extensions connecting through a MiVoice Border Gateway can now be recorded as long as there is no more than one extension behind each remote IP Address.

[Link to the Call Recorder section](#)

Mitel 6900 Handset Support

MiVoice Office Application Suite now supports the Mitel 6900 series of SIP handsets in conjunction with the MiVoice Office 250. MiVoice Office Application Suite acts as a configuration server to provide the handsets with firmware, keymaps and configuration. The 6900 handsets are new premium handsets with color screens.

[Link to the Mitel 6900 Handset section](#)

Calling Party Number Substitution

This new feature provides a dynamic way of changing the calling party number presented based on the number being dialed. This feature works in conjunction with calls made through Phone Manager Desktop and Phone Manager Outbound.

[Link to the Calling Party Number Substitution section](#)

Call Routing

This new feature provides dynamic call routing based on a database lookup, or fixed routing of calls queuing at hunt groups.

[Link to the Call Routing section](#)

Phone Manager Desktop Updates

Phone Manager Desktop now includes support Group Chat, DSS/BLF & Park Toolbar Buttons.

For more information on Phone Manager Desktop enhancements, please refer to the Phone Manager User Guide.

Campaign Manager Renamed to Phone Manager Outbound

Campaign Manager, the outbound progressive dialing solution for the MiVoice Office 250 has now been renamed to Phone Manager Outbound.

Licensing Updates

The following new licenses have been created to support the new features available in MiVoice Office Application Suite 5.1:

- DND Reporting -> System-wide license
- ACD Reporting -> Per agent license
- Call Router -> System-wide license
- Calling Party Number Substitution -> System-wide license
- Mitel 6900 Handset Standard -> Included with Phone Manager Outlook
- Mitel 6900 handset Enhanced -> Included with Phone Manager Professional & Team Leader
- External Data Sources -> System-wide license
- Real-Time Wallboard -> Per user license
- Real-Time Dashboard -> Per user license

User Connections Screen

The connected clients screen has been renamed 'User Connections' and has been updated to provide information on all user based connections, including Real-Time Wallboard/Dashboard Users and Mobile users. In addition, a new 'Connected Devices' screen provides information on license usage of the new Mitel Handsets and ACD reporting licenses.

Refer to the [User Connections](#) or the [Connected Devices](#) section for more information.

Version 5.0

This version of MCS sees the introduction of MiVoice Office Call Reporter & MiVoice Office Call Recorder to the solution as well as some enhancements to Phone Manager Desktop & Mobile Clients.

MiVoice Office Call Reporter

Provides historical call reporting and scheduling for all internal and external calls on the system. Each user given permission can access reporting through the MCS website and run default reports or customize their own. Reports and filters can be shared between users and then scheduled to be emailed. Reporting and Scheduling are licensed features.

[Link to the Call Reporting section](#)

MiVoice Office Call Recorder

Provides the ability to record all or a subset of calls on the telephone system using a Record-A-Call or RTP/SIP based port mirroring. All calls that are recorded are stored centrally on the server and can be played back by users through the website or through Phone Manager Desktop.

[Link to the Call Recording section](#)

Phone Manager Updates

Phone Manager Desktop now includes support for initiating conferences from the Call Banner in addition to toolbar button improvements and access for users to easily Push/Pull calls using the HandOff feature of the telephone system, all from the Call Banner.

A new configuration option has been added to each user which allows the caller ID for any call they are on to be hidden from other users' Phone Manager displays. Please review the [Users](#) section for more information.

For more information on Phone Manager Desktop enhancements, please refer to the Phone Manager User Guide.

Licensing Updates

The system now supports voucher based licenses which means a known Site ID is no longer required when ordering license updates, simply apply a purchased voucher to any MCS 5.0 or higher system. In addition, a new concept of trial licenses has been introduced to allow customers to try features of the product before they buy. Software assurance and support (SWAS) contract for the software are now visible on the license pages of the website to keep users informed of the system's support status.

With this release of software, node based licensing has changed and additional licenses have been added for the new reporting and recording features. Please review the [License Overview](#) section for more information.

Refer to the [Voucher License](#) section and [Trial License](#) section for more information.

SQL Server and Operating System Support

On new installations SQL Server 2014 is now being installed (upgraded sites will continue to run on SQL 2008 R2). In addition, support for Windows Server 2016 has now been added including Hyper-V support on the platform.

From release 5.0, Mitel Communication Service is supported on 64-bit operating systems only.

Refer to the [Requirements](#) section for more information.

Connected Clients Screen

A new screen has been introduced to the Phone Manager Desktop section which provides details on all connected clients (Phone Manager, API and Call Recorder Clients). Information on the version of software the client is running is provided along with IP address and user details.

Refer to the [Connected Clients](#) section for more information.

Version 4.3

This version of MCS sees the introduction of Mitel Phone Manager Mobile along with a number of improvements to existing features of the solution.

Phone Manager Mobile

Phone Manager Mobile for iOS and Android provides access to Phone Manager features on the go. Features include access to Contacts, Global Directories, Chat with other Phone Manager users and receive Voicemail, Missed Call and Call Routing alerts. Phone Manager Mobile also has a Softphone capability.

[Link to Phone Manager Mobile section](#)

Presence Profiles

Presence Profiles are a new way of controlling DEE, Forwarding, DND and UCD status all from a single profile change.

[Link to Presence Profiles section](#)

User Profile Updates

To improve the user's Phone Manager experience the MCS now downloads all Dynamic Extension Express devices a user has assigned.

[Link to User Profiles section](#)

Version 4.2

This version of MCS sees the introduction of MiContact Center Campaign Manager along with a number of improvements to existing features of the solution.

Campaign Manager

Campaign Manager is a progressive dialing solution designed specifically for the MiVoice Office 250. Using the Mitel Phone Manager Professional or Team Leader client as a front end, Campaign Manager automates the process of making calls from a user's Mitel extension and provides centralized management and statistics for supervisors.

[Link to MiContact Center Campaign Manager section](#)

Telephone Profiles

The ability to add/edit/delete the telephone formats used by the Phone Manager plugins has been added to provide flexibility to customize the searches for screen popping and/or call history entries based on a customer's requirements.

[Link to Telephone Profiles section](#)

User Profile Updates

To improve the user's Phone Manager experience the MCS now offers the ability to store Hot Desk PIN and

Voicemail PIN numbers against a user's profile.

[Link to User Profiles section](#)

Common SMTP Configurations

To help with the setup of email support, configurations for common SMTP servers have been documented.

[Link to Gmail SMTP example section](#)

[Link to Office365 SMTP example section](#)

5 Real-Time Reporting

Real-Time Reporting provides users with real-time visibility of calls and status of various different aspects of the telephone system.

This system provides two levels of real-time access for users:

- [Wallboard](#), a single real-time view restricted to single statistic tiles, media tiles and a ticker.
- [Dashboard](#), a supervisor real-time UI with access to multiple views and additional tile support.

Users can be assigned permission to access either the Wallboard or the Dashboard. This is done using a [Security Profile](#).

For information on how to use the Real-Time Wallboard, please refer to the [Quick Start Guide](#).

The following sections provide a breakdown of all aspects of Real-Time Reporting use:

- [Tiles](#)
- [Statistics](#)
- [Tile Alarms](#)
- [Real-Time Filtering](#)
- [Full Screen Views](#)
- [Global Variables](#)

The Real-Time Wallboard is designed to provide real-time statistics on a screen that is visible from across a room if necessary.

Wallboard licenses are used on a per concurrent connection basis, each user that has a Wallboard view open within a browser will consume a Wallboard license.

 Opening multiple tabs with Wallboards on will use multiple licenses.

Each Wallboard has a single Real-Time View which can contain any of the following tile types:

- Single Statistic
- Cycling Multiple Statistic Tile
- Ticker (limited to one per view)
- Media

The following sections of the document provide more information on various aspects of the Real-Time Wallboard:

- [Views](#)
- [Tile Types](#)
- [Appearance](#)
- [Filtering](#)
- [Alarms](#)
- [Full Screen](#)


A user's access to the Real-Time Wallboard is controlled using the [Security Profile](#) that has been assigned to their user account.

The Real-Time Dashboard is designed to provide real-time statistics to a supervisor/manager. It provides all the features of the Real-Time Wallboard but with the following additional features:

- Multiple Views, users are not restricted to a single view. Multiple views can be configured to show different aspects of the system. Users can then switch between views as required.
- Grid Tiles, the dashboard provides access to grid based tiles. These provide information on a device/call basis for more detailed real-time analysis
- Multiple Statistic Tiles, these provide improved support for displaying multiple statistics on a tile and include the Primary/Secondary and List based appearances.

- Call/Status Control, this provides the user with the ability to change another user's status or to move calls around the telephone system

Dashboard licenses are used on a per concurrent connection basis, each user that has a Dashboard view open within a browser will consume a Dashboard license.

 Opening multiple tabs with Dashboards on will use multiple licenses.

Each Dashboard provides access to configure multiple Real-Time Views which can contain any of the following tile types:

- Single Statistic
- Multiple Statistic Tile
- Ticker (limited to one per view)
- Media
- Grids

The following sections of the document provide more information on various aspects of the Real-Time Dashboard:


- [Views](#)
- [Tile Types](#)
- [Appearance](#)
- [Filtering](#)
- [Alarms](#)
- [Full Screen](#)
- [Call Control](#)

A user's access to the Real-Time Dashboard is controlled using the [Security Profile](#) that has been assigned to their user account.

A Real-Time View is a collection of real-time tiles. On the Wallboard, only a single view is visible. On the Dashboard, multiple views can be added by the user.

Each view has the following configuration options:

- Name, the user definable name for the view (this is not available on the Wallboard)
- Display Mode, switch between different tile layout modes
- Color Mode, switch between different color modes that applies when creating new tiles.

To access the configuration of a view, Press the edit button () to the top left of the Wallboard/Dashboard.

Display Mode

The display mode controls how the tiles in the view are located and sized.

Uniform Grid

Default for Wallboards.

When set in this mode, each tile's size is automatically controlled by the view. As new tiles are added, the size of existing tiles is reduced so each tile has the same size and they all fit in the optimum way on the view.


The location of tiles can be changed by dragging and dropping tiles within the view.


Manual Sizing

Default for Dashboards.

When set in this mode, each tile's size is directly controlled by the user. This provides a more flexible view where tiles can be different sizes. This mode is ideal for when using the Media Tile and allows it to be large than the other tiles

around it.

 When switching between modes, the order and size of tiles will be lost.

 Neither of the Display Mode options will affect a Ticker Tile. These will display at the top or bottom of the screen based on their own display mode setting.

Color Mode

The color mode controls how the background/foreground of tiles are automatically generated by the system when new tiles are added.

 Changing the color mode has no effect on tiles that have already been added to the view.

Colored Background

Default for Wallboards.

When this mode is selected, a random background color will be selected for any new tiles added and the foreground (text) will be set to white.


Colored Text

Default for Dashboards.

When this mode is selected, a random foreground (text) color will be selected for any new tiles and the background will be set to white.

No Color

When this mode is selected, all new tiles added will start with a white background and blank foreground (text).

 The color mode only affects the initial color of the tile and is designed to simplify initial view creation. The foreground and background colors can be changed as required by the user at any time.

The following table shows the types of tile that are available, what sort of data they can display and which real-time license they are supported on.

Tile	Data	Wallboard	Dashboard
Single Statistic	<ul style="list-style-type: none"> Aggregated (Totals/Averages/Percentages) Minimum/Maximum Values Global Variables External Data 	Yes	Yes
Multiple Statistic	<ul style="list-style-type: none"> Aggregated (Totals/Averages/Percentages) Minimum/Maximum Values Global Variables External Data 	Cycling Statistic Tile Only (Limited to 2 Statistics)	Yes
Ticker	<ul style="list-style-type: none"> Aggregated 	Yes (Limited to 1)	Yes (Limited to 1 per

	(Totals/Averages/Percentages)		View)
	<ul style="list-style-type: none"> • Minimum/Maximum Values • Global Variables • External Data 		
Media	<ul style="list-style-type: none"> • YouTube Live Streams • Uploaded MP4/M4V Video • Images 	Yes	Yes
Grids	<ul style="list-style-type: none"> • Agent Grid* • Call Grid • Extension Grid • Trunk Grid 	No	Yes

 * Requires ACD Reporter licenses

Single Statistic Tiles

One or more of these tiles can be added to a view. Each tile can show a single piece of information at a time and can have its fore/background color customized as required.

Single statistic tiles have two display modes:

- Text
- Circular Gauge

Example single statistic tiles:

Calls Inbound

1

% Calls Matched



Multiple Statistic Tiles

One or more of these tiles can be added to any real-time view (limited to cycling tiles only on a Wallboard view). The multiple statistic tile can be configured with up to 20 pieces of information. There are three display modes to choose from when creating a multiple statistic tile:


- Primary / Secondary, up to 2 pieces of information can be displayed using this mode.
- List, up to 20* pieces of information can be displayed on the tile with this mode.
- Cycle, the tile will cycle through up to 20 pieces of information in this mode. Only one statistic will be visible at


a time.

Once the tile has been created, the display mode can be changed at anytime from the tile's appearance tab.

The foreground color of each statistic added can be configured separately so they can be distinguished from each other.

Example multiple statistic tiles:



 On Real-Time Wallboards, Cycling tiles are limited to 2 statistics per tile.

Ticker

A single ticker tile can be added to a view. The ticker can have up to 20 pieces of information added to it. There are three appearance options associated with the ticker:

- Location, the ticker can be located at the top or bottom of the view
- Size, the ticker has three size modes: Small, Normal & Large
- Scroll Speed, the ticker has three speed modes: Slow, Normal & Fast

Each piece of information added to the tile will scroll along it in the order it was added. If there are a large amounts of data on the ticker it may not be possible to see all pieces of information at the same time.

Example ticket tile:


Agents Free **12** Calls Ringing **0** Calls Active **0** Call Rate **1** Calls Inbound **1** Calls Answered

Media

One or more media tiles can be added to a view. Each media tile can be configured to play one of the following:

- Local content, the tile will loop an MP4 video provided by the user
- YouTube Videos, the tile can display video and live streams from YouTube. Simply paste in the URL for the specific video/stream.
- Display an image file

If displaying video content, the media tile will start with the audio on. However, this can be changed by the user.

 Depending on the media content being displayed, there may be specific license requirements either in the form of a 'TV License' and/or in the form of a license from the content provider. It is up to the customer to ensure they are licensed correctly to display any content they choose to add to the media tile.

Grids (Agent, Call, Extension & Trunk)





One or more grid tiles can be added to a view. Grid tiles can be used to show data by device or call rather than system wide.

Agent Grid

Displays all the ACD agents on a system with the background color for each row indicating their ACD status. The agent grid can be filtered as per any other tile but also has the option for not displaying agents that are currently logged out.

Background Color	Status
White	Logged Out
Green	Free
Red	Busy (On a call)
Yellow	Wrap-Up
Blue	Do-Not-Disturb
Grey	Unlicensed

The table below shows the status icons that are shown on an Agent Grid.

Icon	Description
	Logged In
	Logged Out
	Call In Progress
	Busy N/A (Do-Not-Disturb)

The screen shot below shows an example Agent Grid.

Agents + Agent Status (Logged In)											
Agent	Agent Name	Time L...	ACD Statu...	DND Mess...	Hunt Groups	Time In...	Time On...	Ca...	Calls O...	Avg Talk Ti...	Total Talk...
7012	Charles Ryan	02:30:16	Busy N/A	ON A TRIP	2202,2230,...	00:45:45	05:22:49	0	0	00:00:00	00:00:00
7013	Alice Craig	02:30:16	Busy N/A	ON HOLID...	2002,2007,...	02:30:15	05:22:49	0	0	00:00:00	00:00:00
7014	Mark Laird	02:30:16	Busy N/A	GONE HO...	2202,2230,...	02:30:15	05:22:49	0	0	00:00:00	00:00:00
7015	Frankie Williams	02:30:16	Busy N/A	OUT OF O...	2002,2007,...	02:30:15	05:22:49	0	0	00:00:00	00:00:00
7016	Julia Phillips	02:30:16	Busy		2211,2201,...	02:30:15	05:22:49	0	0	00:00:00	00:00:00
7017	Wayne Gemson	01:36:08	Busy		2211,2201,...	00:04:54	01:36:06	0	0	00:04:38	00:04:38
7018	John Goldsmith	02:30:16	Busy		2211,2201,...	00:04:53	05:22:49	0	0	00:04:38	00:04:38
7019	Terry Baker	02:30:16	Free		2202	02:30:15	05:22:49	0	0	00:00:00	00:00:00
7020	Sam Bagley		Free		2211,2201,...	00:15:46	05:34:28	0	0	00:00:00	00:00:00
7021	Oliver Marks	01:07:57	Free		2002,2202,...	00:02:35	01:07:55	0	0	00:00:00	00:00:00
7022	Garry Taylor	02:30:16	Free		2002,2007,...	00:19:44	05:22:49	0	0	00:00:00	00:00:00
7023	Bruce Dawson	02:30:16	Free		2002,2007,...	00:34:38	05:22:49	0	0	00:00:00	00:00:00
7024	Becky Smith	00:36:44	Free		2006,2003,...	00:15:53	00:36:42	0	0	00:00:00	00:00:00
7025	Carrie Tucker	02:30:16	Free		2004	02:30:15	00:00:34	0	0	00:00:00	00:00:00

To use an Agent Grid, ACD Reporting licenses are required in addition to the Real-Time Dashboard license. If any agent does not have a license, they will display with a grey background.





MCS does not support ACD member hunt groups, only ACD agent groups.

Call Grid




Displays all active calls on the system (internal & external) with the background color for each row indicating the calls status.

Background Color	Status
White	Internal Call
Green	Outbound Call
Yellow	Inbound Call

The table below shows the status icons that will display on a Call Grid.

Icon	Description
	Call In Progress
	Call On Hold
	Call Ringing In
	Call Ringing Out

The screen shot below shows an example Call Grid with an inbound, outbound and an internal call.








Call List											
Call ID	Call Dire...	Contact...	Telephon...	First Ran...	Last Ran...	Answerin...	Extension	Ring Time	Talk Time	DDI Digits	DNIS
 18B357	None	[New Co...	9004	1085	1085	2045	2045, 3065	00:00:09	00:13:12	[n/a]	
 18P812	Outbound	Wendy N...	+44123...	1895		1895	1029	00:00:14	00:02:48	[n/a]	
 18P509	Inbound	Graham C...	+444576...	1813		1029	1029	00:00:27		+441617...	SALES

Extension Grid

Displays all the extensions configured on the system with the background color of each row indicating the trunk/call status.

Background Color	Status
White	Idle (No call)
Green	Outbound Call
Yellow	Inbound Call
Grey	Offline

The table below shows the status icons that can be displayed on an Extension Grid.

Icon	Description
	Extension Idle
	Extension Offline
	Call In Progress
	Call On Hold
	Call Ringing In
	Call Ringing Out
	Do-Not-

Disturb

The screen shot below shows an example Extension Grid.

Extensions									
Extensio...	Extension Name	Calls Inbound	Calls In Co...	Calls Outbo...	Calls Out C...	Avg Talk Time	Total Talk T...	Last Call En...	Extension S...
	9000 Charles Ryan	0	0	0	0	00:00:00	00:00:00		Idle
	9001 Alice Craig	0	0	0	0	00:00:00	00:00:00		Idle
	9002 Mark Llaird	0	0	0	0	00:23:39	00:23:39		Busy
	9003 Frankie Williams	0	0	0	0	00:00:00	00:00:00		DND
	9004 Julia Phillips	0	0	0	0	00:00:00	00:00:00		Idle
	9005 Wayne Gemson	0	0	0	0	00:00:00	00:00:00		Idle
	9006 John Goldsmith	0	0	0	0	00:16:21	00:16:21		OnHold
	9007 Terry Baker	0	0	0	0	00:00:00	00:00:00		Offline
	9008 Bill Denton	0	0	0	0	00:00:00	00:00:00		Offline

Trunk Grid

Displays all trunks that are active on calls. The background color indicates the direction of the call (Yellow -> Inbound, Green -> Outbound). The Icon to the left shows the status of the call.

Background Color	Status
White	Internal Call
Green	Outbound Call
Yellow	Inbound Call

The table below shows the status icons that can be displayed on a Trunk Grid.

Icon	Description
	Call In Progress
	Call On Hold
	Call Ringing In
	Call Ringing Out

The screen shot below shows an example Trunk Grid.

Trunks											
Trunk	Call Dire...	Contact...	Telephon...	First Ran...	Last Ran...	Answerin...	Extension	Ring Time	Talk Time	DDI Digits	DNIS
94301	Inbound	[New Co...	+441618...	2522	1834	1032	1032	00:00:23	00:02:31	+441617...	MAIN
94302	Inbound	CHRIS R...	+447968...	1828	1828		1828	00:00:03		+441617...	CHRIS R...
94303	Inbound	James P...	+449876...	1872	2531	1046	1046	00:00:07	00:05:19	+441617...	SALES
94304	Inbound	Graham C...	+444576...	1813	1811	1029	1029	00:00:27	00:02:48	+441617...	SALES
94305	Inbound	Mark B...	+444123...	2501	1862		1042	00:00:19		+441617...	SUPPOR...
94309	Outbound	Grace H...	+441958...	1863			1863	00:00:22		[n/a]	
94309	Outbound	Mary M...	+445820...	1871			1871	00:00:20		[n/a]	
94310	Outbound	Phil C...	+449756...	1845			1845	00:00:31	00:11:15	[n/a]	
94311	Outbound	Garry M...	+449856...	1804			1804	00:00:12		[n/a]	
94312	Outbound	Chris Ra...	+447968...	1828			1828	00:00:05		[n/a]	

A maximum of 20 columns can be added to a real-time grid at a time.

By default, when tiles are added to a Real-Time View, they will show unfiltered data. This means that the data will include all relevant calls/extension etc.

Under normal circumstances, it is necessary to apply a filter to a tile so that the data displayed is meaningful.

Any of the following filters can be used to filter the data on a tile:

- Built-In filters
- User Filters
- Shared Filters

For more information on different filters and how they are managed, please refer to the [Filters](#) section.

There are two ways in which filters can be used on a Real-Time View:

- Tile filters, apply a filter directly to a tile
- View filters, apply a filter to all tiles within a view

Applying View Filters

At the top of the current Real-Time View, the filter dropdown will indicate if there is a filter currently assigned. In the image below, there is no filter assigned at view level:



To apply a filter to all the tiles within a view, select the required filter from the drop down.

To add a new filter or edit an existing one, press the filter icon () on the title bar to access the filter configuration section.

Tile Filters

Each tile can control how filters are applied to the data it is showing. The filter options available on each tile are:

- Filter, select a filter to apply to this tile
- Filter Mode, choose how the filter is applied

Each tile can have a filter applied to directly to it. By default, a tile will have no filter applied.

The Filter Mode can then be used to control whether any filter applied to the tile is combined with or overrides any view based filter.

If 'Combine with view filter' is selected, the view and tile base filter are merged together and applied to the data on the tile.

If 'Replace view filter' is selected, the view filter is ignored and the tile's filter is applied. If the tile has no filter applied when this mode is selected, the view's filter is still ignored and the tile's data will not be filtered.

Filter Visibility

Depending on the Filter Mode selected on the tile, any filter applied to the tile will be displayed below the tile name.

If the filter is combined with the view's filter, it will be displayed with a (+) next to the filter name:

Calls Lost
+ Agent (1002)

If the filter is set to replace the view's filter, just the filter name will be displayed:

Calls Lost
Agent (1002)

Each tile has a set of properties that control various aspects of the tile's look and feel as well as the data displayed.


Title & Fields to Display

The title will be displayed at the top of a tile that is added to a view. The title of a tile will automatically be defaulted to the name of the first data field that is selected to be displayed on the tile.

Depending on the tile type, one or more data fields can be added to the tile for display. To add a field, press the 'Pick Field' button and select the field required from the context menu displayed.

The fields that are available will depend on the tile type. For more information on the fields available, please refer to the following sections:

- [Statistics](#)
- [Global Variables](#)

 The Media tile has different properties to other tile types. Please refer to the [Tile Types](#) section for more information.

On multiple statistic tiles, the name of the data field selected will be used to identify the statistic when it is displayed. This can be overridden if required. While the 'Edit Tile' window is open, click on any of the fields and text box will appear allowing the name to be overridden.

The order of fields added can also be changed by drag and drop.

Appearance


The appearance tab provides configuration of the background and foreground colors of the tile, as well as any Display Mode options that may be relevant to the specific tile being edited. On multiple statistic (list) tile, the color of each of the fields that have been added can be changed.

Each tile also has properties for filtering and alarms. For more information, please refer to the [Real-Time Filtering & Real-Time Alarms](#) Sections.

Real-Time Alarms provide a way to bring attention to aspects of the telephone system that are running outside of acceptable parameters. Each tile on the system can have one or more real-time alarms configured.

To add an alarm, navigate to the 'Alarms' tab while editing a tile, then press the 'Add New Alarm' button. Once the alarm properties have been configured, remember to save the tile as well as the newly added alarm.

More than one alarm can be added to a tile to handle different scenarios.

 Real-Time Alarms are not available on Media tiles.

Triggers

The trigger defines when the alarm should be activated. The following comparisons can be used for trigger configuration:

- >
- <
- =
- Between (inclusive)

The alarm created will be active for as long as the statistic matches the trigger configured.

If the alarm is being created on a multiple statistic tile, the statistic the trigger will be calculated against must be selected.

Actions


For each real-time alarm created, one or more of the following actions can be configured.

Flash Tile

This action will cause the tile's foreground and background colors to swap back and forth, causing the tile to flash to get peoples attention. The tile will continue to flash while the conditions that caused the trigger remain.

Change Background Color

This action will cause the background color of the tile to change to the configured color. The background will revert back to its normal color when the trigger is no longer valid.

 This action type can be used to create a traffic light style tile, where the background color can be changed from green to yellow to red based on changing statistic values.

Change Stat Color

This action will cause the foreground color of the tile to change to the configured color. The foreground will revert back to its normal color when the trigger is no longer valid.

Make the tile fill the screen


This action will cause the tile to display full screen on the view, in front of all other tiles. The tile will revert back to its original size and location when the trigger is no longer valid or by double clicking on the tile.

Play a sound

This action will cause a sound/music file to be played out of the configured speakers of the computer. The 'Play Count' setting can be used to control how many times the file is played (*Default 1*).

Any sound/music files that have been added within the logged in user's Folders. The system will display any files ending with the .mp3 file extension.

For information on how to upload sound files, please refer to the [Folders](#) section.

The wallboard is designed to be used on a wall mounted display screen, visible to multiple users at a time. To optimize this usage, a full screen toggle () is provided which activates the browsers full screen mode This can be found in the top right of the View.

When full screen mode is enabled, the browser's application border along with the main title bar for the website should be hidden, allowing the view to grow to the size of the screen.


Opening the Wallboard Full Screen

In most circumstances where a wall mounted display is used, a dedicated PC will be installed to drive the screen and run the browser that the wallboard will be displayed in.

When this setup is used, the PC and wallboard need to handle reboots and come back to an operational state without any user intervention. For this to happen, the following needs to take place:

1. The PC needs to be configured to automatically logon after a reboot
2. A shortcut needs to be called on start-up that opens the browser at the appropriate page
3. The MiVoice Office Application Suite website needs to have 'Use Windows Authentication' enabled so it automatically logs the user in.

Auto PC Logon

 Configuring a PC to automatically logon can be a security risk. Before doing this, ensure the user account to be used as no access beyond that of the target computer.

To setup a computer to automatically logon, the following keys need to be added to the registry:

HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Winlogon

- AutoAdminLogon = 1
- DefaultDomainName = [Your domain name]
- DefaultUsername = [Wallboard username]
- DefaultPassword = [Wallboard user account password]

Once these keys have been created and their values populated, the PC should automatically logon each time it is rebooted.

Browser Shortcuts

When using Internet Explorer or Chrome, it is currently possible to load the browsers in 'Kiosk' mode. This will take the browser straight to the specified URL and will load it full screen. In addition, it will stop general interaction with the website.


To activate Kiosk mode, create a shortcut for the browser required:

Internet Explorer:

"C:\Program Files\Internet Explorer\iexplore.exe" -k http://[APP_SUITE_SVR]/Secure/Dashboard/Index

Chrome:


*"C:\Users\[USERNAME]\AppData\Local\Google\Chrome\Application\chrome.exe" -Kiosk
"http://[APP_SUITE_SVR]/Secure/Dashboard/Index">*

 At the time of writing, there is no way to automate loading a URL in Full Screen mode in either Firefox or Edge.

Windows Authenticated Website Login

If MiVoice Office Application Suite has been installed on a Windows Domain, the website can be configured to automatically log users in with their windows credentials, saving them the effort of typing out their username and password each time.

This is extremely useful when setting up a Wallboard to automatically load when a PC starts up. To make use of this feature, ensure the steps below are followed:

- Enable 'Use Windows Authentication' in the [Website](#) settings ('Servers\Website)
- Make sure the [Windows Username](#) parameter is set against any user wishing to use the feature.
- Configure the browser to recognize the MiVoice Office Application Suite URL as a Local Intranet site.

Once the steps above have been correctly followed, anytime a configured user browses to the MiVoice Office Application Suite website, they will automatically be logged on.

In most implementations of the Real-Time Wallboard/Dashboard, there is a requirement to display information that comes from outside of the telephone system. This information could relate to other areas of the business which also need monitoring. Two methods are provided to display non-telephone system related information:

- Global Variables, manually updated data fields
- External Data, automatically updated data that is queried from an external data source

If global variables and/or external data fields have been configured on the system, they will appear on the context menu when [adding](#) a field to a tile. No formatting is applied to these fields, the data will appear on the tile in exactly the format it has been entered/queried.

Global variables and external data fields can be added to the following tile types: Single Statistic, Multiple Statistic & Ticker.

Global Variables

Global variables can be created, edited or deleted by any user that has the appropriate permission. For more information on managing global variables, please refer to the dedicated section within the [Call Reporter](#) configuration.

External Data Sources

External data sources can be created, edited or deleted by any user that has the appropriate permission. For more information on managing external data fields, please refer to the dedicated section within the [Call Reporter](#) configuration.

When using one of the grid tiles in conjunction with a Real-Time Dashboard license, various call and status control features are made available.


The following operations can be performed by dashboard users:

- Call Control
 - Call Now, make call to the extension/agent selected
 - Send Call To, move a call that is ringing to another device on the telephone system
 - Pickup Call, pick up a call that is ringing at another device/agent
 - Clear Call, hang up a call that is ringing or in progress at a device
 - Answer Call, force another extension/agent to answer a ringing call
 - Silent Monitor, use the telephone system to listen in to a call that is in progress at an extension/agent
- DND Control
 - Enter DND State, place an extension/agent into one of the 20 available DND states
 - Remove DND State, take an extension/agent that is currently in DND out of DND
- ACD Agent Control
 - Login, log an ACD agent into one or more hunt groups
 - Logout, log an ACD agent out of one or more hunt groups
 - Enter Free State, place an ACD agent that is currently in Wrap-up into the Free state
 - Enter Wrap-up State, place an ACD agent that is currently in Free into the Wrap-up state


The functions available depends on the grid being used and the state of the currently selected device.

Using Call & Status Control

The call and status context menu can be accessed in one of two ways:

- Click on the status icon at the far left of each row on the grid
- Click on the more icon () at the far right of each row on the grid

Clicking on either of these icons will load the Call/Status Control menu:



The exact options available on the menu will depend on the grid type.

Call Control


Depending on the current status of calls at the selected device in the grid, one or more of the call control features will be available.

Call States	Call Now	Send Call To	Pickup Call	Clear Call	Silent Monitor
Idle	Yes	No	No	No	No
Ringing	Yes	Yes	Yes	Yes	No
On Hold	Yes	Yes	Yes	Yes	No
In Progress	Yes	No	No	Yes	Yes

Do-Not Disturb Control

Do-not-disturb (DND) control is available on the Agent and Extension grids. The telephone system provides 20 different DND status options to choose from. Any extension or agent can be placed into DND from the relevant grid.

DND states can be removed manually by the user directly from the extension if required.


 Removing an ACD agent from DND will place them in the 'Free' state. Ensure they are at their desk and ready to receive calls before doing this.

ACD Agent Control

ACD agent control is available on the Agent and Extension grids. Agents can be members of one or more hunt groups on the telephone system. When using the 'Login' and 'Logout' commands, a single hunt group can be selected or all hunt groups.

If an agent is in the 'Wrap-up' state, they can be placed into the 'Free' state so that they are offered calls by the telephone system. An agent can be placed into the 'Wrap-up' state manually, however when this is done they must be

manually placed back in the 'Free' state using the dashboard otherwise they will stay in the 'Wrap-up' state until they logout.

 Placing an ACD agent into the 'Free' state will cause them to be presented with call by the telephone system. Ensure they are at their desk and ready to receive call before doing this.

6 Client Installation

The MCS server provides access to the Call Reporting features of the MiVoice Office Application Suite. Call Reporting features include:

- The ability to run Call Lists and Grouped Reports
- The ability to configure schedules to automate reporting to email or a network share

This section outlines how the reports are licensed and how users can be given permissions to use reporting features. For information on running and using reports, please refer to the [Reporting](#) section.

There are a number of settings which affect how reporting data is calculated and presented. Refer to the [Call Reporting Settings](#) section for more information.

Licensing

There are 5 specific licenses that govern how reporting can be access and used:


Call Logging


The call logging license is a system wide license that enables access to the reporting section of the MCS website. This license provides access to run Call List reports, configuration reports and the Inbound Call Summary report.

Call Reporting Devices

For access to any type of grouped reports with aggregate data (Calls by Extension or Calls by Trunk for example), Call Reporting Devices licenses must be installed. The number of Call Reporting Device licenses required will depend on the number of extensions programmed on the telephone system(s) that the MCS is connected to.


If a system has Call Reporting Device licenses, users will be able to create and run grouped based reports.

 The Call Logging license is a prerequisite to having Call Reporting licenses.

 If a system has insufficient Call Reporting Device licenses to cover the number of extensions on the telephone system(s) then the system will go into license violation mode. Refer to the [License Violation](#) section for more information.


DND Reporting

There is a system wide license that enables the storage of and reporting on do-not-disturb (DND) events from the telephone system. Once enabled, the system will log DND status change events and provide access to DND status columns and DND event reports.

 DND events from the telephone system are not stored historically until the system has a DND Reporting license.


ACD Reporting

This is a per agent license that enables the storage of and reporting on automatic call distribution (ACD) events from the telephone system. Once enabled, every time an ACD agent logs in an ACD Reporting license will be consumed and the status change events for the agent will be historically logged in the database.

 ACD events from the telephone system are not stored historically unless an ACD Reporting license is available for the an Agent when it logs in.

Scheduling

The Scheduling license is a system wide license that enables access to create schedules for call reports. It can be applied to systems that only have Call Logging licenses or systems that have both Call Logging and Call Reporting licenses.

 Refer to the [Report Templates](#) section for more information on which types of report can be run with which license.

User Permissions

When a system has been licensed with reporting licenses, users can be given permission to run reports and create/manage schedules. This is done through the use of [Security Profiles](#).

Other than giving users access to run/manager reports, there is no way to limit user access to specific report data. Once a user has access to reports they can run them on all historical data stored on the system.

The reporting section of the MCS solution provides access to run and manage call and configuration based reports. For information on using the reporting features of the solution, please refer to the following sections:

- [Report Templates](#)
- [Report Grouping](#)
- [Report Creation](#)
- [Running Reports](#)
- [Exporting Reports](#)
- [Shared Reports](#)
- [Report Scheduling](#)

For information on licensing and permissions, please refer to the [Reporting Overview](#) section.

The following section outlines the reporting user interface and how reports can be run, filtered and exported.

Default Reports & Report Categories


Each user with permission to run reports is automatically configured with a default set of reports. These reports are individual to the logged in user and can be edited/deleted as required.

These default reports are displayed in different categories to help navigate between different types of reports:

Category	Report Name	License	Description
Call Lists	Call List General	Call Logging	A list of all calls on the system (segmented, internal and external calls).
	Invalid Dialed Numbers	Call Logging	A list of outbound external calls that failed to complete.
	Lost Calls	Call Logging	A list of calls that were not answered (external calls only)
	Trunk to Trunk Calls	Call Logging	A list of trunk to trunk calls (inbound calls that were diverted or transferred externally)..
	Unreturned Lost Calls	Call Logging	A list of lost calls that have not been returned or subsequently answered.
Call Performance	Call Performance By Day	Call Reporter	Overview of lost calls on a day by day basis.
	Service Level By Half Hour	Call Reporter	In depth breakdown of answered calls by half hour (call rate period).
	Service Level By Half Hour & Day	Call Reporter	In depth breakdown of answered calls by half hour and day (call rate period).
Calls By Device	Calls By Account Code	Call Reporter	Breakdown of external calls by account codes entered.
	Calls By DDI	Call Reporter	Breakdown of inbound external calls by DDI number.
	Calls By Extension	Call Reporter	Breakdown of all calls by extension number.
	Calls By Hunt Group	Call Reporter	Breakdown of inbound calls by hunt group.
	Calls By Trunk	Call Reporter	Breakdown of external calls by trunk line.
	Calls By User	Call Reporter	Breakdown of all calls by user.
	Detailed DND Status List	DND Reporting	List of DND state changes.
	DND Status By Extension	DND Reporting	Breakdown of DND status by extension.
	Unmatched Calls By Extension	Call Reporter	Breakdown of unmatched calls by extension.
Unmatched Calls By User	Call Reporter	Breakdown of unmatched calls by user.	
Calls By Number	Calls By Telephone Number	Call Reporter	Breakdown of calls by the number dialled/received.
	Calls For Service Codes	Call Reporter	Breakdown of calls made to service code numbers (see dial plans for more information).
	Top Dialed Numbers	Call Reporter	Breakdown of calls made by telephone number.
	Top Received Numbers	Call Reporter	Breakdown of calls received by telephone number.
Calls By Time	Call Summary By Day	Call Reporter	Breakdown of external calls by day.
	Call Summary By Month	Call Reporter	Breakdown of external calls by month.
	Call Summary By Week	Call Reporter	Breakdown of external calls by week.

	Calls By Half Hour	Call Reporter	Breakdown of external calls by half hour.
	Calls By Half Hour & Day	Call Reporter	Breakdown of external calls by half hour and day.
Calls/Status By Agent	ACD Status By Agent	ACD Reporting	Breakdown of ACD status by agent.
	Calls By Agent	ACD Reporting	Breakdown of calls made/received by agents.
	Detailed ACD Status List	ACD Reporting	List of ACD state changes for every licensed agent on the system.
	DND Status By Agent	ACD Reporting	Breakdown of DND state changes by agent.
	Unmatched Calls By Agent	ACD Reporting	Breakdown of unmatched calls by agent.
Other - Configuration	ACD Agent List	Call Logging	A list of ACD Agents imported from the telephone system(s).
	Device List	Call Logging	A list of extensions imported from the telephone system(s).
	DDI Number List	Call Logging	A list of DDI numbers configured on the MCS.
	Trunk List	Call Logging	A list of trunks imported from the telephone system(s).

These default reports can be deleted as required. The categories can be used to add additional reports or deleted as required.

 Reports that are not licensed will be identified with a padlock symbol. In addition, some columns within reports may require an additional license, these will also be identified with a padlock symbol.

Inbound Call Summary

The inbound call summary report is a read-only report that gives a system overview of inbound external calls. This is the first report that is run every time a user browses to the reporting section of the MCS website.

This summary screen can be viewed on any system with a Call Logging license. It shows un-segmented call data for external calls coming into the telephone system. This screen is designed to provide a quick overview of system performance, for more information use one of the Call Performance reports.


Running Reports

Any existing report can be run by hovering over the report name with the mouse and pressing the play icon (▶). Each report has a default filter and date range which will be used when first running a report.

Filtering & Date Ranges

Once a report is on screen the date range and filter options above the report can be used to change, expand or restrict the data the report is displaying. When changing the date range or filter that is applied to a report, the 'Apply' button needs to be pressed to refresh the report.

The date range drop down offers a range of predefined date ranges (Today, Yesterday, This Month, Last Month etc..) that can be used to quickly change the call data being used to produce the report. If a specific date or date range is required then the 'Custom' option can be used to select the dates required. Refer to the [Date Ranges](#) section for more information.

 The larger the date range the report is being run over, the longer the report will take to run. If a report is taking a long time to run, try reducing the date range. In addition, the UI is limited to displaying a maximum of 5000 rows of data.

The filter drop down can be used to restrict the data to only contain records that are specifically required (Caller ID, Extension etc..). The filter drop down will display all of a user's own filters along with any shared or built-in filters on the system. Refer to the [Filters](#) section for more information on creating and using filters.

Paging & Totals


Due to the fact that the reports are in a webpage, it is not feasible that all the rows returned from a report are displayed all at once on the screen. Instead, rows are displayed in pages which can be navigated using the following control:

 1 of 6

The icons either side of the page number information can be used to navigate through the pages of the report. Clicking the far right icon takes you straight to the final page of the report.

If the report is [grouped](#), there will be a total row at the end of the reports which shows totals of all columns where it is appropriate.


Cloning Reports


Copies of a report can quickly be made using the 'Clone' feature. To make a clone of an existing report, press the more icon () next to the report and select 'Clone' from the menu. A form will appear prompting for a new name for the report and the name of the category to store the report in.


Cached Reports


Due to the time it can take to run reports (especially when large date ranges are involved), the system will cache reports so that they can be re-used in the future without having to request the data again from the database.

If a report has previously been run with the same filter and date range then the system will use a cached version to speed up the running of the report. This does not apply to reports using the Today, This Week or This Month date range options because the data may have changed since the report was last run. Using any of these date range options will cause the report to be re-run each time.

 Reports that include large amounts of data should be run out of working hours to reduce the risk of resource contention with other users or other features of the system. Use [Report Scheduling](#) to run reports at times when the system is not in use.

 Cached reports are deleted when the MCS Reporting Service starts-up.

 Refer to the [Report Creation](#) section for information on creating and editing reports.

 Refer to the [Statistics](#) section for information on the columns available in each report.

 Refer to the [Exporting](#) section for more information on exporting reports from the screen.

Overview

The MCS has a series of report templates that can be used to create and run reports. Each report template contains the following information:

Data source (Call or configuration data for example)

This outlines when to get the data for the report from. Currently the two data sources available to the templates are

- Call Data
- Configuration Data


Columns

This outlines what columns are available to add to a report. Depending on the data source and grouping, the columns which are available to add to the report will change.

Grouping

This defines how the data in the report should be grouped (if at all). For example, a list of call records would usually have no grouping, each call and its associated properties can be viewed. If however the data is grouped by Telephone Number, aggregate columns become available such as Total Calls and Total Ring Time etc.

When creating a new report, a template must first be chosen before columns can be selected. Each template has a set of default columns which will automatically be visible, but can be added or removed by the user. When editing a report, if the template is changed, the selected columns will automatically be changed to the template's defaults.

 Refer to the [Report Grouping](#) section for more information on grouped and call list reports.

Available Templates

The following templates are available for creating reports:


Template Name	License	Description	Segmented Data
ACD Data - ACD Status List	Call Logging	A list of ACD state changes for all licensed agents. This template requires the ACD Reporter license.	N/A
Call Data - Call List	Call Logging	A list of call data records (not segmented*).	No
Call Data - Call List (Segmented)	Call Logging	A list of call data records which is segmented*.	Yes
Call Data - Calls by Account Code	Call Reporter	Call data grouped by Account Code, external calls only.	No
Call Data - Calls by Agent	ACD Reporting	Call data grouped by Agent, internal and external calls. This template requires the ACD Reporter License.	Yes

Call Data - Calls by DDI	Call Reporter	Call data grouped by DDI number, inbound external calls only.	No
Call Data - Calls by Extension	Call Reporter	Call data grouped by Extension, internal and external calls.	Yes
Call Data - Calls by Hunt Group	Call Reporter	Call data grouped by Hunt Group, inbound calls only.	Yes
Call Data - Calls by Start Time	Call Reporter	Call data grouped by Start Time, external calls only.	No
Call Data - Calls by Telephone Number	Call Reporter	Call data grouped by Telephone Number, internal and external calls.	Yes
Call Data - Calls by Trunk	Call Reporter	Call data grouped by Trunk, external calls only.	No
Call Data - Unreturned Lost Calls	Call Logging	A list of call data records (not segmented*), filtered to show unreturned lost calls only. External calls only.	No
Call Data - Inbound Call Summary **	Call Logging	Inbound call summary for external calls.	No
Config - ACD Agent List ***	Call Logging	Configuration data, a list of all ACD Agents MCS has imported from the telephone system.	N/A
Config - DDI Number List	Call Logging	Configuration data, a list of all DDI Numbers configured on MCS.	N/A
Config - Device List	Call Logging	Configuration data, a list of all Extensions MCS has imported from the telephone system.	N/A
Config - Trunk List	Call Logging	Configuration data, a list of all Trunks MCS has imported from the telephone system.	N/A
DND Data - DND Status List	DND Reporting	A list of DND state changes. This template requires the DND Reporter License.	N/A

* Refer to the [Call Segmentation](#) section for more information.

** The Inbound Call Summary template is not user selectable, it is fixed to the Inbound Call Summary Report.

*** MCS does not support ACD member hunt groups, only ACD Agent hunt groups.

 If '#ERROR' appears in any column, this is an indication of missing data. this can happen if the reporting service is stopped or loses connection to the telephone system.

Call List Limits

Each of the call list report templates (Call List, Call List (Segmented) & Unreturned Lost Calls) has a fixed limit of 5,000 rows of call data. If the date range for a report is configured and the resulting data would generate more than 5,000 rows, only the first 5,000 rows will get returned. When this happens, a warning messages will appear on the screen alerting to this fact. To remove the warning, reduce the date range the report is being run for or apply a [filter](#) to restrict the result set. Alternatively schedule the report to return all records.

Recording Playback



The Call List reports provide a 'Play' option against answered calls which allows the user to playback the recording if they have the necessary MiVoice Office Call Recorder features configured. Clicking the play link will open up the normal playback window.

If a call has not been recorded due to it being made on an unrecorded device or because it has been excluded, the play link will still appear but the user will be informed that the call was not recorded after pressing it.

 The prefix to each template ('Call Data', 'Config') refers to the data source the template is using.

 Refer to the [Reporting](#) section for information on licensing.

The following section describes the properties that can be configured against a report. The properties discussed here are displayed when creating a new report or editing an existing report.


To create a new report, press the 'New Report' button above the reports accordion#list on the reporting page. To edit a report, hover over a report and press the edit icon () or press the more icon () and select Edit form the menu.

About the Report


Each report that is configured on the system requires a template to be selected. This template tells the report about the type of data that is being returned, the available columns for the report and whether the data is grouped or not. Once a template has been selected, the name and category properties must be configured before navigating to the columns section:

- **Name** - User definable name that will be used to identify the report for running or adding to schedules.
- **Category** - Defines where the report will appear on the website. Categories are used to group similar reports together to aid user access to them. Either select an existing category or type in the name of a new one.

- **Description** - User definable description, this can be used to store more detailed information about the report and what it is for.

 Changing the template of an existing report will cause the selected columns to change to the default ones for the selected report.

 To cancel the changes being made to a report simply navigate away from the current page without pressing the 'Save' button.

 Refer to the [Report Templates](#) section for information about each of the different templates available.


Columns

The column selection screen is split into three sections:

Available Columns

This section outlines each of the available columns for a specific report template. To add a column to the report, simply click on the column. Each of the columns available is displayed in a different category to group similar columns together and aid user navigation. Clicking on a category name will display the columns in that category. For a brief outline of what the data in the column represents, hover over the column with the mouse to get a tooltip.

Any columns that have already been added to the report will show grayed out and in italics.

 A maximum of 50 columns can be added to a report.

Chosen Columns

This section shows all the columns that will currently be displayed on a report. Columns will be displayed in the order in which they are visible in this list. To change the order of the chosen columns, simply left click on the a column and drag it to a new location in the list.

If the data returned by the report template is grouped in any way, the columns the report will be grouped on will be displayed in blue in the chosen columns list. These columns can be re-ordered but cannot be removed from the report. To remove other columns from the report simply press the red cross next to the column name.

To change the column on which the report is grouped, a different template must be selected.

Column Options

Each column has settings that can be configured including Header, Cell Width and in some cases Display As (display format).

The header setting is the name that will be displayed as the column header when the report is run. All columns have a default header name configured which is generally much shorter than the column's full name so that it will fit better within the report header.

The cell width option outlines the width the column should have within the report. All columns have been given a default width that suits the data type however these may need to be changed, especially if trying to fit a large number of columns onto a single report for exporting.


If a column contains a date or duration of some kind then the display format option will appear. The following date formats are available:


Call Time (Start Time, Answer Time, End Time etc..)

- Date and Time -> dd/MM/yyyy HH:mm:ss
- Date Only -> dd/MM/yyyy
- Time Only -> HH:mm:ss
- Week -> dd/MM/yyyy (Mon) (The date rounded to the previous Monday)
- Month -> MMM, yyyy

Duration (Call Time, Talk Time, Hold Time etc..)

- Hours, Minutes and Seconds -> HH:mm:ss
- Total Seconds

 Refer to the [Report Grouping](#) section for more information on these display formats and how they affect grouped reports.

 Refer to the [Statistics](#) section for more information on the columns available for each template.

Filters

The filters page provides a way to configure the initial filter and date range that will be used when the report is first run. These properties can be changed after the report is run using the ad-hoc date range and filter drop downs on the report viewer.

In addition, the time range on a day by day basis can be configured so that data outside this range is ignored. This is very useful for ignoring calls outside of working hours. For example, if a report is configured to run a display data over a week, the time range could be limited to between 9am and 5pm so any calls outside of these hours on any day of the week included in the report would not be shown.

Sorting

The sorting page provides a way to control which column(s) within the report are used to sort by when displaying the data. By default a sort column and direction will be defined in the template but this can be changed as required.

Reports can be sorted by more than one column by adding another column from the available columns list.

Saving a Report


Once all the properties have been configured, press the 'Save' button to implement the changes. If a new category has been entered for the report it will be created at this time.

If the report saves successfully it will be run immediately and display on screen. If there are any problems when saving the report, a message box will appear in red outlining the problem and suggesting changes that need to be made.

Any report viewed on the MCS website can be exported directly from screen. By default, all exported reports are in landscape format to maximize the page space available for columns.

Exporting


To export a report, run the report and then press the save button at the top of the report:




From the menu that displays, select one of the available export formats:

- Excel
- PDF
- Word

As soon as the export format has been chosen, the report will be exported in the required format and a standard browser download prompt will appear asking where to save the file to. The type of prompt received will differ from browser to browser.


 Applications that support Excel, Word and PDF formats are not required for exporting but will be required to open the exported files.

 If the number of rows in the report exceeds 1,000, the export option will not be available. To export more records than this you must use [Scheduling](#).

A shared report is visible to all users on the system that have access to reports. Shared reports can be run, edited and deleted by any user on the system. Shared reports are also the only type of report that can be added to a [schedule](#).

Creating a Shared Report

Shared reports can be created directly from the Shared Reports section of the website or can be created by sharing an existing personal report.

To share an existing personal report, press the more icon () next to the report and select 'Share' from the menu. A form will appear prompting for the following information:

- **New Name** -> This will be the name given to the shared report.
- **Category** -> Choose a category for the shared report to reside in or enter the name of a new one.

Pressing the 'Copy Report' button will then accept this information and create the shared report. The shared report is effectively a copy of the existing report, the original will still be visible under 'My Reports' and any changes to the new report made by other users will not affect the original.

Shared reports have their own category structure which is system wide, any new category created in shared reports will be visible to all users.

Filters & Scheduling

Shared reports can be run directly on the website in the same way personal reports can. When running the shared reports in this way, personal or [shared filters](#) can be applied to the report.

Only shared reports can be added to a [schedule](#) to be run on a regular basis. When running a shared report through a schedule, only shared filters can be applied to it.

Scheduling provides a way to automatically run reports on regular basis. Access to the scheduling features of the solution is controlled by a single site-wide license. Once a system is licensed, any number of schedules and reports can be created.

A single schedule can be configured to run multiple reports using different [filters](#) and [date ranges](#). when a schedule has run the reports configured, it can deliver them by email to one or more people or save the reports to a share on the network.

Permissions

Users can be given access to schedule reports through the [security profile](#) that has been assigned to their user account.

Once a user has been given access to schedules, they can create their own schedules as well as managing any other schedules created on the

system.


Shared Filters & Reports


Only shared filters and reports can be added to a schedule. This is because schedules are a system wide entity and so to make sure that any user with permissions can access and edit schedules, they are restricted to using only filters and reports that are also accessible by all users. If a filter or report that is currently being used in a schedule is deleted by a user, the user will first be alerted to the fact the filter/report is in use and will be given the opportunity to cancel the delete operation. If the filter or report is deleted, it will be removed from the schedule.


Schedule History


The schedule history is visible from the main schedule page on the website. It gives a list of schedules that have run with information on how long they took and whether they completed successfully or not. If the schedule fails, a guide to what caused the problem (Share access / email server connection failure etc..) should be visible.

Running Now

If required, a schedule can be executed immediately by selecting the more icon () and selecting 'Run Now' from the menu. Running a schedule in this manner will not change the automated schedule.

 Schedule history is kept for three months.

 Refer to the [Schedule Creation](#) section for information on configuring schedules.

To create a new schedule, navigate to the schedules section of the website (sub menu below Reporting) and press the 'New' button. The schedule management form will appear to guide the user through configuring the schedules. The same form can be accessed to edit an existing schedule by hovering over the schedule in question and pressing the edit icon ().

Details

The details section request a name and description for the schedule. The name will be used to identify the schedule and must be unique. The description is not required, but can be used to store information about what the schedule is for.

Schedule

Schedule section outlines when the schedule should be run:

Start

The time at which the report will first be run, subsequent recurrences will then be calculated from this initial time.


End Date & Time (Optional)

If the schedule does not need to be permanent then an end date for the schedule can be entered here.

Recurrence - Minute & Hour

Selecting a recurrence of minutes or hours provides an additional option to enter the interval number (15 minutes, 2 hours etc). If required, the recurrence can then be limited to run between certain hours of the day and on certain day/days of the week.

For example: Run every 15 minutes between 9am and 5pm Monday to Friday only, this allows a small interval between the schedule running but restricting reports out of working hours.

 The minimum recurrence value that can be entered is 15 minutes.

Recurrence - Day


Selecting a recurrence of day allows you to have a schedule that runs once a day at a certain time. As with the Minute & Hour options specific days of the week can be select so that reports don't run at weekends for example

Recurrence - Week

Selecting a weekly recurrence allows schedules to run once a week or less frequently.

Recurrence - Month

A monthly recurrence allows schedules to be run once a month or less frequently. In addition to selecting the number of months between running, the frequency options allows a specific day number (e.g. 1st) of the month to be selected or a contextual day like the first Monday of the month for example.

 If a contextual day of the month is selected for the frequency, this will occur in partial weeks. So if the first Friday of the month is selected and the 1st of the month is a Friday, the schedule will run on this day.

Reports


The reports section allows one or more reports to be added to the schedule. To add a report, press the 'Add' button and populate the form that appears.

Select a report form the drop down and then configure the following properties:

- Filter -> Select a shared filter from the list is required
- Date Range -> Select a date range the report should be run for

The filter and date range selected will be used instead of the report's default filter and date range. It is important to use contextual date ranges when running reports although a custom date range is configurable if required. Contextual date ranges are needed because the schedule will be running repeatedly so setting a specific custom date range will mean the same report is run each time.


If more than one report is added to a schedule it will run the reports one by one and then move onto the action to deliver all reports in one go.

 Only [shared filters](#) and [shared reports](#) can be added to schedules.

Action


The action section outlines what happens to the reports once they have been run by the scheduler. Reports can either be exported to a network share or emailed to one or more people. Select an action type using the drop down and then complete the necessary properties.

Whichever action type is selected, the same [format](#) options of .xls, .doc or .pdf are available.

 When exporting to '.xls', there is a limit of 65,536 rows enforced.

Email

All the standard email options are available. Multiple email addresses can be entered into each of the address properties (To, CC, BCC) using a comma (,).

 For schedules to be sent out by email, an [SMTP](#) server must be configured. The source email address configured for the MCS server will be used for scheduled emails.

Export

Reports can be exported to any of the [network shares](#) that the MCS server has been configured for. If no network shares are available to select from the drop down list then they must first be added in the configuration section (⚙) of the MCS website.

After a share is selected, a sub folder path can be entered. The scheduler will attempt to create the sub folder if it does not already exist. If a sub folder has already been added on the [network share](#) configuration then any sub folder entered here will be appended to that sub folder.

 Refer to the [Network Shares](#) section for more information.

The solution provides two types of call data report; lists and grouped reports. Lists provide a list of individual calls or call segments, grouped reports provide aggregated call data.

Call Lists

Call lists are not classed as grouped reports (see Non-segmented Reports section below for more information). This means they show data directly from the database with the addition of some computed columns like call duration.

Call lists are really useful for finding a specific call and information about it.

Grouped Reports


The MCS provides reports which are grouped by the following call information:

- Account Code
- Agent

- DID
- Extension
- Hunt Group
- Start Time
- Trunk
- User

Grouped reports are really useful for assessing performance and getting an overall view of the number and types of calls being processed. Grouped reports contain Totals, Averages, Minimum and Maximum values of the majority of call data columns.

For example, a report grouped by extension can be used to see how many calls each extension handled and what their total talk time was.


 Refer to the [Templates](#) section to see more information on the grouped reports provided.

Non-Segmented Reports

Reports that calculate of full calls not segments of calls are effectively grouping by trunk line first before any other grouping (if there is any) is applied to the report.

When this grouping by trunk line occurs, the segmented calls data needs to be aggregated. The following section outlines the effect this aggregation has on a call's available columns.

Column Name	Aggregation Effect
Account Code	The last account code entered, on any segment.
Agent / Agent Name	If the call was answered, this will contain the details of the agent logged in if there was one. Other wise it will contain the agent details of the extension where the call first rang. If no agent was logged at all, these fields will be blank.
Answer Time	The time the call was first answered.
Call Answered	If any segment of the call was answered.
Call Duration	The cumulative call time of all segments.
Call Type	The call type of the first segment.
CallID	The call id of the first segment.
End Event	The end event of the last segment.
End Time	The end time of the last segment.
Extension / Extension Name	If the call was answered, this will contain the details of extension that answered the call. Otherwise it will contain the extension where the call first rang.
Hold Duration	The cumulative hold duration for all segments.
Hunt Group / Hunt Group Name	The details of the first hunt group the call passed through if applicable.
Rec ID	The Record ID of the first segment.
Ring Duration	The ring time of the call until it first got answered.
Start Time	The start time of the initial segment.
Tag Fields 1 to 5	The last valid entry in each field. For example, if field 1 was tagged on segment 1 and field 2 was tagged on segment 3 then both tag fields 1 and 2 would show on the report unless overridden with a valid tag in subsequent segments.
Talk Duration	The cumulative talk duration for all segments.
Transferred Agent From	Contains the agent details the first time the calls was transferred if applicable.
Transferred Agent To	Contains the agent details the first time the calls was transferred if applicable.
Transferred From	Contains the extension details the first time the calls was transferred if applicable.
Transferred To	Contains the extension details the first time the calls was transferred if applicable.
Username	If the call was answered, this will contain the details of the username that answered the call. Otherwise it will contain the username where the call first rang.

 If a Call List column is not listed here then the aggregation will have no effect on it.

The following settings are used when calculating data for the Call Reports. Settings changed here will affect all users.

General

Call Rate Period

The call rate period is used by the Calls by Start Time template when grouping calls together. Calls will rarely have the same Start Time, so to group them together to see call over time the Start Time is rounded down using the Call Rate Period. For example, with the call rate period set to 30, calls will be grouped in ranges of 30 minutes -> 08:30-09:00, 09:00-09:30. (Default: 30 minutes)

Short Call Threshold

Any call with a talk time (plus hold time) less than the value configured here will be classed as a Short Call. Using filters, these calls can then be removed from reports if required. (Default: 20 seconds)

Ignore Abandoned Calls

If this setting is enabled, any call with a ring time less than that of the abandoned call threshold will be excluded from reports. (Default: False)

Service Level

This setting is the target time in which inbound calls should be answered. This is used when calculating what % of inbound calls met the target service level. (Default: 10 seconds)

Daily Statistics Reset Time

This setting controls two things:

- When the Real-Time statistics for the Wallboard/Dashboard get reset to zero to denote the start of a day.
- When the Historical statistics calls a new day as starting. Any calls crossing this transition time will not be grouped together.

(Default: 02:00)

Reset Call Timers Only Once per Call

When enabled, the call timers will only be reset once per call. When disabled, call timers can be reset each time a call rings at a hunt group with the '[Reset call timers when a call rings this group](#)' settings enabled.

(Default: Enabled)

Account Codes

When looking at a Calls by Account Code report, all calls with any type of account code on will be displayed. However, when viewing reports grouped by other items (Trunks, DDI, etc) then account code columns need to be added to the report.

The Account Code settings here represent the 10 account code columns that are added to these grouped reports. Any description given to the code here will be used in column headers on the reports so they make sense to the user.

Ring Duration Categories

The ring duration intervals configured here are used in grouped reports to show the break down of when calls were lost and answered.

Each ring duration is calculated as \leq when calculating the call statistics.

For example, if a call was answered after 9 seconds, it would be counted in all but ring duration 1's statistics on a report.

(Default: 5, 15, 30, 60, 120, 240)

Call Statistics

Depending on the device type that is involved in a call, how the call is modeled and whether the call is treated as answered can be changed. Please refer to the [PBX Configuration](#) section for more information.

Global Variables provide a way to add data manually to one or more Real-Time Wallboard/Dashboard tiles. Data entered here can be added to any wallboard/dashboard by a real-time user.

Access to create, edit or delete global variables is controlled by [Security Profile](#).

To create a global variable, press the 'New' button and populate the two required parameters:

- Name, this is the name real-time users will see when adding the data to a tile. This must be unique amongst global variables
- Value, this will be the data displayed on the real-time tile.

Global variables can be edited and deleted as required. Any changes made to a global variable will be reflected immediately on any Wallboard/Dashboard it is being displayed on.

External data sources can be used with the Real-Time elements of the MiVoice Office Call Reporter to display information from data sources

external to the call/status logging platform. It provides a method for displaying important information on a Real-Time Wallboard/Dashboard that hasn't come from the telephone system. Some examples of the data from external data sources might be displayed:

- Sales information such as targets or orders processed
- Support information such as open tickets or escalated tickets

The external data feature can be used to query information from any ODBC or OLE DB compliant database. Data returned from these queries can be displayed on single statistic, multiple statistic and ticker tiles.


Licensing

The external data feature is a licensable feature within the MIVO Application Suite. If your system is licensed, the 'External Data Sources' should be visible within the MiVoice Office Call Reporter area of the [Site License](#) section of the website.

Once the feature has been licensed, any number of external database connections can be configured.

Configuring an External Data Source

This section outlines the steps involved in configuring a connection to an external database and pulling back one or more pieces of data. The connection string and command details will vary depending on the type of database being connected to.

 To connect some databases, additional drivers may need installing on the operating system running the MCS server. For more information, please review the documentation of the target database.

Connections

The connection is the first step in configuring MCS to communicate with an external data source. The following properties need to be configured:

- Name, used to uniquely identify the connection to anyone managing the MCS website
- Type, ODBC or OLE DB. Select the connection type required by the target database
- Refresh Interval, how often the MCS will query the external database for updated information (minimum 5 minutes)
- Connection String, this provides all the information necessary to connect to the external database including location and authentication

The connection string will vary depending on the target database's type and location. To help in setting up a connection, some example connection strings are provided. In the examples below, the parameters `myServerAddress`, `myDataBase`, `myUsername` & `myPassword` need substituting with the actual values for the target database. Once the connection string has been entered, it must be successfully tested before the website will allow the command details to be configured.

SQL Server ODBC

```
Driver={SQL Server Native Client 11.0};Server=myServerAddress;Database=myDataBase;Uid=myUsername;Pwd=myPassword;/p>
```

SQL Server OLE DB

```
Provider=SQLNCLI11;Server=myServerAddress;Database=myDataBase;Uid=myUsername;Pwd=myPassword;
```

MySQL ODBC

```
Driver={MySQL ODBC 5.2 UNICODE Driver};Server=localhost;Database=myDataBase;User=myUsername;Password=myPassword;Option=3;
```

MySQL OLE DB

```
Provider=MySQLProv;Data Source=mydb;User Id=myUsername;Password=myPassword;
```

IBM DB2 ODBC

```
Driver={IBM DB2 ODBC DRIVER};Database=myDataBase;Hostname=myServerAddress;Port=1234;Protocol=TCPIP;Uid=myUsername;Pwd=myPassword;
```

IBM DB2 OLE DB

```
Provider=IBMDADB2;Database=myDataBase;Hostname=myServerAddress;Protocol=TCPIP;Port=50000;Uid=myUsername;Pwd=myPassword;
```

Command

The command is used to query information from the target database once a connection has been established. The command can be in the form of an SQL select statement (Text) or a stored procedure call.

Once the command has been entered, pressing the 'Test' button will execute the command on the target database. If successful, the 'Data Fields' tab will be enabled and will be populated with results of the command.

Data Fields

The data fields represent the data returned from the external database. The grid displays the resulting data from the test command with the index and field name of the columns returned.

The 'Display Name' is the name that will be displayed to Real-Time users when selecting external data to add to a tile. This is pre-populated with the field name returned from the database but can be overridden if required.

Once all display names have been updated as required, saving the external data source will make it available for Real-time Wallboard and Dashboard users.


7 Call Recorder

Overview

If the MCS is licensed for Call Recording the recordings section will be visible on the main toolbar. Selecting Recordings on the toolbar will open up the a window that allows users to find and playback recordings.

The left hand side has the filtering options that control what calls are displayed on the grid on the right. The calls can be filtered down by:

- [Date Range](#) - the date range option is shown above the grid and provides easy access to modifying the date range of the calls.
- [Business Unit Filters](#) - the business unit that the User who handled the call is assigned to.
- [Filter Details](#) - these are filters that have been created and saved by a User for common conditions.
- [Additional Filters](#) - these are ad hoc conditions that need to be added each time.

 If the MCS has Call Recording licenses but the Recordings section is not visible, the user logged into the website does not have permission to view recordings. To give a user permission, apply and Access Scope or Access filter to their role.


The right hand side shows the list of calls that match the filters that are currently selected, see the [Recordings Grid](#) section for more details.

Overview

The recordings grid shows all the calls that match the current user's [Date Range](#), [Business Unit Filters](#), [Filter Details](#), [Additional Filters](#) combined with the current user's [Access Filters](#).

	Outside Number	Endpoint	Agent	Answered	Duration	Call Type	User	DDI
▲	06424160589	1109	1008	09/07/2013 22:17:59	00:04:40	Outbound	Tony Leroy	01617864373
	06424160589	1102	1003	09/07/2013 22:17:59	00:01:29	Outbound	David Smith	01617864373
	06424160589	1109	1008	09/07/2013 22:19:42	00:03:11	Outbound	Tony Leroy	01617864373
▷	06659155797	1108	1006	09/07/2013 22:17:39	00:05:04	Outbound	Nacho Valencia	01617864363
▷	03011723598	1109	1009	09/07/2013 22:17:06	00:04:40	Outbound	Isa Sastre	01617864388
▷	05022449939	1107	1008	09/07/2013 22:14:51	00:04:57	Outbound	Tony Leroy	01617864373
	04211273049	1105	1003	09/07/2013 22:14:42	00:01:32	Inbound	David Smith	01617864397

Each row on the grid shows either a single call or an aggregate call if a call has been segmented. See the [Call Segmentation](#) section for more details.

The columns displayed on the grid can be added or removed to show different information based upon Users preferences. To change the columns displayed right click on the grid and select *Add/Remove Columns* from the menu. If there is a  next to the column name, then it is already displayed.

Outside Number	Endpoint	Agent	Answered	Duration	Call Type	User	DDI
06424160589	1109						
06424160589	1102						
06424160589	1109	1008	09/07/2013				
06659155797	1108	1006	09/07/2013 22:17:39	00:05:04			
03011723598	1109	1009	09/07/2013 22:17:06	00:04:40			
05022449939	1107	1008	09/07/2013 22:14:51	00:04:57			
04211273049	1105	1003	09/07/2013 22:14:42	00:01:32			

The list of available columns is divided into *Basic*, *Advanced* and *Customer Details* options.

Basic Options

Field	Description
Answered	The date and time the call was answered.
Call Type	Internal or External.
Categories	The list of call categories that have been assigned.
DID	The direct dial number.
Duration	The duration of the call.
Ended	The date and time the call ended.
Extension	The extension number.
Extension Name	The extension name.
Outside Number	The dialed number or caller id.
Ring Time	The amount of time the call was ringing.
Started	The date and time the call started
Talk Time	The amount of time the call was connected.
Trunk	The trunk number the call was on.
User	The user associated with the call

Advanced Options

Field	Description
Account Code	The telephone system account code.
Agent	The agent id.
Agent Name	The agent name.
Call ID	The PBX generated call ID.
DNIS	The DNIS value.
Global Call ID	The unique call id for this segment.
Hunt Group	The name of the hunt group.

Hunt Group Name	The hunt group number.
Logical Call ID	The unique call id for this entire call.
Notes	The number of notes attached to the recording.
Rating	The star rating for this record.
Scored	Shows if the record been scored.
Serial	The recording serial number.
Site	The site the record is associated with.
Speed Dial	The speed dial information associated against the outside number of this call.

Customer Options


Field	Description
Field 1	This is custom tag field 1.
Field 2	This is custom tag field 2.
Field 3	This is custom tag field 3.
Field 4	This is custom tag field 4.
Field 5	This is custom tag field 5.

Ordering Sorting

The ordering of the grid can be changed by clicking on any of the column headings, by default the results are order by *Answered* time in descending order, i.e. the most recent calls first. You can see how the grid is currently ordered by the arrow to the right of a column header.

Real-Time & Silent Monitoring

By default, the recordings grid shows calls that have completed and that have been recorded. If a user has permission, the grid can also show calls that are currently in progress. If they are being recorded by the system, then they can be silently monitored through the browser. To initiate a silent monitor, press the silent monitor icon which will be in the same location the play icon normally is in the recordings grid.

 This is different to silent monitoring on the PBX. No PBX configuration is required.

To configure the recordings grid to show calls in progress, refer to the [website](#) configuration section.

For information about giving users permission to silent monitor call, refer to the [security profiles](#) section.

Unrecorded Calls

By default, the recordings grid only shows calls that have been recorded. If a call was not recorded for any reason, then it will not display on the grid. Under the [website](#) configuration section the grid can be configured to show calls that were not recorded if required.


Some example reasons why a call was not recorded:

- It matched an [exclusion list](#) rule.
- It was made on an [unrecorded device](#).
- There were no resources at the time (conference resources for Record-A-Call)

Overview

From the [Recordings Grid](#) calls can be exported and be either emailed out individually or when saved can be emailed in bulk. The user needs to have the *Email* or *Save* option enabled on their [Security Profiles](#) to perform these actions. When the recordings are exported any meta data that has been assigned to these calls is also provided.

Saving Recordings

To save a recording, from the [Recordings Grid](#) click on the  icon next to the relevant recording. This will then download the relevant recording WAV files into a compressed ZIP file.


To bulk download a selection of recordings, from the [Recordings Grid](#) multi select a range of recordings using the Control and Shift keys. Then right click on the grid and select "Download selected". Alternatively, right click the "Download all" option to include all calls shown in the grid. A progress meter will be shown in the bottom right hand corner of the page whilst the download is being prepared and once complete will provide a "Download ready" link to save the compressed ZIP file with the recordings.



The ZIP file will contain all of the recording WAV files and a *Recordings.htm* index page that can be opened in a web browser to show the contents of the ZIP file. This will include a link to the WAV file with the following meta data:

Downloaded Recordings								
Call Started	Duration	Outside Number	Endpoint	Agent	Trunk	Hunt Group	User	
03/07/2015 14:12:39	00:00:12	08-██████	2522		94302			Play
03/07/2015 14:12:51	00:00:01	08-██████	2523		94302			Play
03/07/2015 14:12:52	00:02:18	08-██████	1019	1019	94302	2003	Amy	Play
03/07/2015 14:15:10	00:08:23	08-██████	1013		94302		Robin	Play


Email Recordings

To email a recording directly from the [Recordings Grid](#) click on the  icon next to the relevant recording. This will open a new form where the *To:* address field and the *Subject:* and *Body* can be entered. Multiple email addresses can be entered by separating each one with a comma. Once these fields have been completed click on the *Send* button to send the email.

 The email server details configured in the [Email & SMTP](#) section are used when sending emails.

How the recording is sent out can be set to be one of three options:

- **Attachment:** The WAV files are sent out as an un encrypted attachment to the email. The attachment will be either a WAV file or in a compressed ZIP file if there are multiple WAV files.
- **Permanent link:** A direct playback link is sent that when clicked will download the file.
- **Single use link:** A direct playback link is sent that when clicked will download the file. This link can only be used once, if the link is used more than once then a message will be displayed informing the user this link has expired.

 Using the direct links to download the files requires that the **Website URL** configured in the [Website](#) section can be accessed by the user receiving the email.

The email body will contain the text that you entered in the send email form and also include the following meta data:

Call Answered	Duration	Outside Number
Extension	Hunt group	

Overview

The date range option is available for use on the recordings and reporting pages of the website. It is used to restrict the call data returned and based upon the Start Time of calls.


On the recordings page, the default date range will be automatically set to show calls that have started within the last 15 minutes.


On the reporting page, the default date range is set to Today.

The drop down provides options for:

- Today
- Yesterday
- This Week
- Last Week
- This Month
- Last Month
- Last 15 minutes
- Last 30 minutes
- Last 60 minutes
- Custom


When *Custom* is selected, the start and end date ranges can be entered into the fields shown. Once the dates have been entered then click on the *Apply* button to update the recordings grid or report.



 Example: If Last 30 minutes was selected at 13:42, the calls returned would be those started between 13:12 and 13:42.

 Selecting large date ranges can take a long time to return and can adversely effect server performance.

Overview

When ad hoc searching is used to try and find a specific call the Additional Filters option can be used to do this. This enables specific `meta data` of the call to be used to filter the recording grid just by entering this into the appropriate field without having to create a [Saved Filter](#).

The list of `meta data` fields that are shown can be changed by using the  icon. For a complete list of the fields available see the [Recordings Grid](#) section.

To filter the recording grid enter a value into the appropriate field then click on the  icon in the filter window. The recordings grid will then update to show any calls that meet the filtered criteria. To clear the filter click on the  icon in the filter window.



Overview

Business Units are used throughout the system to automatically group calls together based upon the area of the business that they are applied to. A User is associated with a specific agent or range of endpoints and any calls involved on those devices are tagged against the User. The User is then assigned to a Business Unit and any calls for the User become part of the Business Unit.

See the [Users & Business Units](#) section for more details configuring Business Units.

The filter window shows all the Business Units that the current User has permissions to access. If they do not have permission to view a Business Unit then this and any child units will not be displayed.

See the [Access Filters](#) section for more details on configuring access permissions.

To filter the recording grid, select an individual User or Business Unit, multiple items can be selected by holding the Ctrl or Shift key and clicking on each item. When they are selected the item will turn orange. After all the required items have been selected, then click on the  icon in the filter window. The recordings grid will then update to show any calls that meet this filter criteria. To clear the filter, click on the  icon in the filter window.


 When a filter is applied, then word *filtered* will appear in orange at the top.

To help in finding specific Users the filter window provides a *search...* option at the top. Typing a name will then provide a list of any matches and then clicking on the User will select this within the window.

Exclusion lists are used to discard recordings based upon a specific piece of `meta-data` that is associated with the call. For example, you can add calls to or from specific outside numbers to the exclusion list and they will not be recorded.

The following `meta-data` can be used to match a recording against an exclusion list.


- Account code
- Agent
- DDI / DID
- Outside number
- Endpoint
- Hunt group

 Some options may not be available for all `PBXs`

If a calls detail matches an item on the exclusion list, then it will not be recorded provided it does not match an Inclusion List entry. For example, if a senior directors calls should not be recorded then this could be configured for their endpoint.

As well as using the `meta-data` there is another rule that can be used:

Exclude internal calls: When extension side recording is being used then calls that are internal and do not involve an outside trunk line will not be recorded.

 If the option for **Exclude internal calls** is enabled then the inclusion list will NOT override this and the call will NOT be recorded.

Configuration


To add a new exclusion list entry

1. Access the [Site Settings](#) -> [Exclusion List](#) configuration section
2. Click on *Add*, then select the **Type** of information to use to exclude this call.
3. Select or enter the value that this information must contain.
4. Enter a useful **Description** for this entry.
5. Select the level of persistence
6. Click on *Add* to save the entry.

Persist for Entire Call


Each exclusion list entry has the option to 'Persist for entire call'. This setting controls whether the exclusion entry should just take effect on the call segment that matches or on all proceeding segments on the call as well. If enabled, once there is an exclusion match on a segment of a call, if the call is transferred to another device on the phone system then the call would continue to be excluded.

Persistent exclusion list entries can be used in conjunction with a telephone system call routing announcement to ask the caller permission to record the call. By routing a negative customer response through a CRA with a persistent exclusion match, the call will not be recorded.

 If internal calls are being recorded, transfer announcement (enquiry) calls will still be recorded even if the call

— being transferred as a persistent exclusion against it.

Inclusions lists override **ALL** other rules. If a recording matches any of the fields within the inclusion list, then it will be recorded – even if it is in the [Exclusion List](#).

 If the option for **Exclude internal calls** is enabled, the inclusion list will NOT override this and the call will NOT be recorded.

Configuration

To add a new inclusion list entry:

1. Access the [Site Settings](#) -> [Inclusion List](#) configuration section.
2. Click on *Add*, then select the **Type** of information to use to include this call.
3. Select or enter the value that this information must contain.
4. Enter a useful **Description** for this entry.
5. Select persistence level
6. Click on *Add* to save the entry.

Persist for Entire Call

Each inclusion list entry has the option to 'Persist for entire call'. This setting controls whether the inclusion entry should just take effect on the call segment that matches or on all proceeding segments on the call as well. If enabled, once there is an inclusion match on a segment of a call, if the call is transferred to another device on the phone system then the call would continue to be included, no exclusion list entry could override it.

8 Filters, Folders & Settings

Filtering is used throughout the system to enable users to find specific calls or groups of calls. The system stores different types of information about each call which can be used to identify it. If any [custom tagging](#) information has been associated with a call then this can also be used in the filters.

Filters are created in the filters section of the MCS website and can be used when searching recordings and reports.

The MCS provides three types of filter:

Personal Filters

Any user on the system that has access to reports or recordings can create and manage their own filters. These filters will not be seen by other users of the system.

Shared Filters

Shared filters are visible by all users on the system (with the correct [permissions](#)). Shared filters can be deleted and managed by any user, not just the one that created it.


Refer to the [shared filters](#) section for more information.


Built-In Filters

Built-in filters are a type of shared filter that all users can see. They provide access to some commonly used filters and cannot be edited or deleted by any user. These built-in filters are used by many of the default reports provided to a user when they first login into the system.

Built-In Filters:


- Answered External Calls
- External Calls
- Inbound Calls
- Inbound External Calls
- Internal Calls
- Invalid Dialed Numbers
- Lost Calls
- Outbound Calls
- Outbound External Calls
- Service Codes
- Trunk to Trunk Calls


 Refer to the [Filter Details](#) section for information of creating and editing filters.

Filters can be edited/created in the Filters section of the website. To create a new filter, press the 'New' button at the top left of the screen. To edit an existing filter, press the more icon () next to the filter and select 'Edit' from the menu.

Each filter is split up into six sections:

- Details -> Contains the user definable name for the filter.
- Devices -> Options to filter by extensions, hunt groups, agents and trunks.
- Call Details -> Options to filter by call details such as direction, type, outside number etc.
- Duration -> Options to filter by call, talk and ring durations.
- Customer Details -> Options to filter by contact name, speed dial name, account codes or tag fields.
- Advanced -> Options to filter by Call ID, Service codes, Trunk to Trunk calls etc.
- Real-Time -> Options to filter real-time tiles only.

 Where the field has a text box entry, special characters can be used to search for patterns (%_.,!). For more information, please refer to the [Special Characters](#) section.

 The following numeric fields also support filter ranges by using the + or - special characters:
Agent, Extension, Hunt Group, Trunk

Details

The details tab just contains the user definable name for the filter. Nothing entered here will affect the filtering.

Name: This is the description that is used to reference this filter in other parts of the system. The name must be unique for the user or unique for the system if [shared](#).

Devices

Filter calls by device.

Extensions: A specific extension or range of extensions. For multiple extensions separate each one with a comma and for a range use a dash. For example 1001,1002-1008,1010.

Extension Name: The name of the extension (This will be the extension's description if configured, otherwise it will be the extension's username).


Agent IDs: A specific agent id or range of agent ids. For multiple agents separate each one with a comma and for a range use a dash. For example 1001,1002-1008,1010.

Agent Name: The name configured against this agent id.

Hunt Group: A specific hunt group or range of hunt groups. For multiple hunt groups separate each one with a comma and for a range use a dash. For example 2001,2003-2008,2013.

Hunt Group Name: The name configured against this hunt group (This will be the hunt group's description if configured, otherwise it will be the hunt group's username).

Trunk: The trunk number that the call was connected on. This applies to external calls only.

 When apply filters to a Non-segmented report, the Extension/Agent filter options will also be applied to the First Rang, Last Rang and Answered on fields.

Call Details

Filter calls by the specific details of the call.

Outside number: The outside number presented for this call. For inbound calls this is the caller ID and for outbound calls this is the dialed number. [Wildcards](#) can be used to generalize the search, for example 09%, any calls that have an outside number starting with 09 would be matched.

DDI: The direct dial number.

DNIS: The name associated with the direct dial number.

Direction: Was the call inbound, outbound or any.

Call Type: Was the call either internal, external or either.

Call Status: Is this call completed*, in progress*, recorded, not recorded or any of these.

Answered: Was the call answered or not.

 Call details filter items cannot be used to filter the Agent or Extension Grid on a Real-Time Dashboard.

Duration

Filter calls by the call, talk or ring duration. Slide the bar from either end to increase/decrease the duration required.

Duration: The complete duration of time for the call, including ring, talk and hold time.

Talk Time: The talk time that the call was connected for.

Ring Duration: The time that the call was ringing.

Customer Details

Filter for specific customer related information.

Contact Name*: The MCS directory name associated with the outside number.

Speed Dial Name: The speed dial name associated with the outside number on the telephone system.

Account Code: The account code entered against this call. If more than one code is entered on a call, only the last one is saved.

Contact Match*: Was a contact matched in the MCS contact directories or not.

Field 1 to 5: Filter by the contents of the five custom tag fields.

Advanced

Notes*: Selects records that have had notes attached or if the notes contain specific words.

Serial*: The unique serial number of a specific recording.

Call ID: The id assigned to the call by the telephone system.

Logical Call ID: The logical call id used to link call segments together.

Global Call ID*: Call ID used to link CTI and Recording records in the database.

Trunk to Trunk*: Include or exclude trunk to trunk calls.


Invalid Dialed Number*: Include or exclude invalid dialed numbers. These are numbers where the external call attempt did not complete.

Service Codes: Include or exclude external calls to [service codes](#).

Real-Time

Agent Status: Filter what is displayed on real-time grids. this can be used to hide logged out agents from the ACD grid.

Device Status: Filter what is displayed on real-time grids. this can be used to hide offline extensions from the Extension grid

 * Filter Items marked with an '**' are not applicable to Real-Time interfaces (Wallboard and Dashboard).

Shared filters are accessible to any user on the system who has been given the correct permissions. These permissions are set via the Security Profile that has been assigned to a user's role.

For more information on shared filter permissions, refer to the [security profiles](#) section.

There are two ways to create a shared filter:

- Navigate to the Shared Folders section on the website and press the 'New' button. From this point follow the normal process of [creating a filter](#).

- Share an existing filter by pressing the more icon (⋮) next to the filter and selecting 'Share' from the menu.

When creating a shared filter from an existing personal filter, a new copy of the filter will be created without affecting the personal filter. A new name for the shared filter will have to be provided by the user.

Shared Filters & Reports

Shared filters can be applied to both personal and shared reports when running them directly on the website. When running reports via a [schedule](#), a shared filter must be used as personal filters cannot.

The use of special characters within the text boxes for a [Filter](#) enables the use of complex filter strings.

All Fields

The following characters are supported:

Special Characters	Description
Exclamation mark (!)	Not equal to
Percent (%)	Fuzzy matching (equivalent to a SQL LIKE %)
Underscore (_)	Fuzzy matching of a single character
Comma (,)	Can be used to search for multiple values at the same time

Device Fields


In addition to the special characters above, the following characters are supported when searching using a device based field (Extension, Agent, Trunk, Hunt Group):

Special Characters	Description
Plus sign (+)	Greater than or equal (e.g. 1000+ for extensions greater than or equal to 1000)
Hyphen (-)	Delimits a range of values to match (e.g. 1000-2000 for all extensions between 1000 and 2000 inclusive) or less than or equal to (e.g. -1000 for extensions less than or equal to 1000)

The example below shows what would be matched when entering combining multiple special characters using a comma:


- 1000-1005,!1003,1040,18%5,2000+

Matching endpoints: 1000, 1001, 1002, 1004, 1005, 1040, any that start with 18 and end with a 5, any with a value greater or equal to 2000.

 Device numbers are stored as text so when using greater than or less than, it is compared on an alphabetic level not a numeric level

Access to the website is controlled through user accounts configured on the system. In order to access any of

the features on the website you need to be logged in with a valid user account.


 User accounts are an MCS concept that can stand alone or linked to a Domain account. For more information please refer to the [Users](#) section.

The system is pre-configured with two default user accounts for engineer access and supervisor access. The engineer account has full access to the website to configure the system and create users. This restriction cannot be changed. The supervisor account has limited rights but is able to perform basic management functions. The default credentials with the username and passwords are shown below.

Username	Password
Engineer	Teleph0ny!
Supervisor	M1t3!Superv!sor

Logging on

To logon to the website browse to the *Website address* of the Communication Service. The logon screen will then be displayed as shown in the image below. Enter your username and password in the relevant boxes and click on *Logon*.

 When your user account is linked to a Domain account, Windows Integrated Logon can be used for the MCS website. Refer to the [website](#) configuration for further information.

Forgotten Password

If a user has forgotten their password they can click on the *Forgotten Password* link in the top right hand corner of the logon page. They are then able to enter their username or email address and the password will be emailed to the address configured under their account.

My Settings

Each user that is logged in has access to change some of their details, including name, password email address, and language options. This is accessed from the *My Settings* menu as shown. Once any changes have been made click on *Save* to save the changes, this will also prompt to enter your password as an additional security check. If you need to remove any changes that you have made click on the *Reset* button.

Overview

Folders provide a way to manage the storage of documents, URLs and links to specific call recordings. How the items are stored can be controlled by the user by creating their own sub folders and adding comments to indicate the reason and use of the item. Folders can be private to the user or they can configure them to be shared so other users can access the contents of the folder. Favorite links to call recordings can be stored so that frequently used calls can be accessed easily.

The use of folders can be beneficial for training by linking to or uploaded process documents on how to handle specific types of calls, and then specific examples of "good" and "bad" calls can be referenced to show how it should be done.

The Folders section is accessed by clicking the folder icon link on the title bar

To create a new folder:

- See the [Creating Folders](#) section.

To create a new file:

- See the [Creating Files](#) section.

To create a link to a call recording:

- See the [Creating Recording Links](#) section.

Creating Folders


To create a folder:

1. Select the root folder to create the new folder in from the list in *My Folders* on the left hand side. Once selected the root folder will display in orange and the new folder will be created beneath this folder.
2. Select the *New Folder* button.
3. Enter a *Name* for the folder in the name field.
4. To make this folder and its contents available to all users check the *Shared* option if required.
5. Click *Save*


Creating Files

To create a new link to a file or upload a file to a folder:

1. Select the *New File* button.
2. Enter a *Name* for this file to reference it by and display to the users.
3. To upload a file select the *Upload* option.
 - Use the *Browse* button to select the file to upload.

 When a user accesses this file they will need to have a valid application associated with the type of file uploaded to be able to view the file.


4. To link to an external file or website select the *URL* options.
 - Enter a URL to the file in the format "\\server\folder\myfile.doc", or enter a hyper link.
5. Click on *Save*.

 The user is responsible for the contents and types of files uploaded. They should meet any company policies and be virus scanned before been uploaded.

Creating Recording Links

To create a new link to a call recording:

1. From the [Recording](#) screen find and open the recording to add.
2. Click on the playback start menu button (see image below) to show the menu
3. Select *Add to folder*, to display the list of the users folders.
4. Select the folder to add the link to.
5. Enter a *Name* for this recording to reference it by and display to the users.
6. Click *Ok*.



Sound Files From Alarms

The folders section can be used to store .mp3 files for use by the alarm notification features of the Real-Time Wallboard & Dashboard.

Overview

Each user that is logged in has access to change their details, including first name, last name, password and email address. This is accessed by clicking on the Users name from the top right hand corner of the webpage page once they are logged in.

Once any changes have been made click on *Save* to save the changes. This will also prompt to enter your password as an additional security check. If you need to remove any changes that you have made click on the *Reset* button.

Preferred Language

By default this is not set, the website will use the browsers default language. If set, the website will be presented in the language selected.

Recordings - LiveView Refresh Rate

If the user has enabled the live view refresh on the recordings grid then this setting controls how quickly the grid automatically refreshes.

9 Appendix

The reporting engine provides a range of information fields that show details of calls, status events and configuration. The fields available to add to a report will depend on the template the report is using.

- [Call List Data Fields](#)
- [Status List Data Fields](#)
- [Grouped Call/Status Data Fields](#)
- [Configuration Data Fields](#)
- [Real-Time Data Fields](#)

A call list report is a report that lists each call individually (and segments), rather than grouping calls together to get aggregated figures.

There are three templates that provide call list data:

- Call Data - Call List
- Call Data - Call List (Segmented)
- Call Data - Unreturned Lost Calls

For information about the data that these templates provide, refer to the [Templates](#) sections.

Each row in a call list report is an individual call or call [segment](#) and each column available contains a specific piece of information about that call or segment.

All of the data columns available on call list reports have been split up into the following categories:

[Advanced](#) - Information about a call not normally used.

[Call Info](#) - Standard information about a call; CLI, DDI, Account Code etc.

[Call Times](#) - Time and duration information about a call; Start Time, End Time, Ring Duration etc.

[Devices / Agents](#) - Device or Agent information about a call, who answered or where did it ring?

[Tag Fields](#) - Specific customer related information that has been tagged to the call by the user.

The following call list fields are designed for engineering use and are not required for normal reporting purposes.

(All columns below are available on the following templates: Call List, Call List (Segmented) and Unreturned Lost Calls).

Call ID

The telephone system call id of the call. This can be used to trace calls back to the telephone system data or to match calls in other applications.

End Event

This columns contains the event code provided by the telephone system when the call ended. This is for engineering use only.

Logical Call ID

This column refers to the call id assigned to the call by the software. The logical call id is used to link call segments and announced transfer segments together as being part of the same call.

Rec ID

This column contains a unique id assigned to each call segment by the software.

Account Code

The last account code that was entered on this call. If no account was entered on the call then this will be empty. On segmented call list this will be the last account code entered on the segment, on a non-segmented report this will be the last account code entered on the call.

Call Answered

Was this call answered or not? On a segmented call list this will show the answered state of each segment. On a non-segmented call it will show whether the entire call is being treated as answered.

Call Direction

The direction of this call segment, either (In)bound or (Out)bound for external calls and n/a for internal calls.

Call Matched

Was the CLI associated with this call matched to a [Contact Directory](#) record?

Call State

What is the current state of the call (ringing, connected, on hold etc).

Call Type

The type of call, either (Int)ernal or (Ext)ernal.


CLI

The caller ID associated with this call for external calls. The will be the received number for inbound calls and the dialed number for outbound calls. On internal calls this property is empty.

CLI Received

Was the inbound call received with a Caller ID? This applies only to inbound external calls.

Contact Name

 Personal contacts do not show on reports by design as the matching happens centrally. System Speed Dials only match on Inbound Calls - the same way as the PBX handles it. Speed Dial matches will be shown in the Contacts fields in reports. If you have a System Speed Dial and Global Contact with the same number the Global Contact name will take precedence.

The contact information associated with this call segment. This may be populated from a [Contact Directory](#).

DID Digits

The significant DID digits received from the network provider to identify a call originated via a particular DID

number. This applies to inbound external calls only and will be empty for all other call types.

DID Received

Was the inbound call received with DID digits? This is a Yes/No property that relates to inbound external calls only. For all other calls this will be displayed as n/a.

DNIS

A description against the DID that the inbound call originated on. This is the description programmed against the DID on the telephone system. This applies to inbound external calls only and will be empty for other call types.

Segment No *

The segment number of the call segment. Use the Logical CallID to link multiple segments together. This property is only available on segmented call list reports.

Segment Count **

The total number of segments for the call. This property is only available for non-segmented call list reports.

Short Call

A call is designated Short if the talk time (plus hold time) is less than the configured [Short Call](#) value. This property will be displayed as Yes/No.

Speed Dial Name

Any speed dial match from the telephone system for external calls. This property will be empty for other call types.

Telephone Number

The telephone number associated with this call segment. For external calls this will contain the CLI information, for internal calls this will contain extension number of the device making the call.

 * This column is only available on segmented call lists.

 ** This column is only available on un-segmented call lists.

Answer Time

The time of day that this call or call segment was answered. If the call was not answered this will be empty.

Call Duration

The total duration for this call or call segment including ring, hold and talk durations.

End Time

The time of day that this call segment ended.

Hold Duration

The duration this call segment spent on hold.

Ring Duration


The duration this call segment spent ringing.


Start Time

The time the call or call segment started ringing.

Talk Duration

The duration this call segment was in the answered state.

 Each of the time and duration columns can be configured to display using different formats. For more information refer to the [Report Creation](#) section.

 If '#ERROR' appears in any column, this is an indication of missing data. this can happen if the reporting service is stopped or loses connection to the telephone system.

Agent / Agent Name **

The details of any agents associated with this call segment. On internal and conference calls there may be more than one agent associated with the call. For an agent to be associated with a call, the call doesn't need to have been passed from a hunt group, the agent just needs to be logged into the telephone associated with the call.

Answering Agent / Answering Agent Name *

The agent the call was first answered at.

Answering Extension / Answering Extension Name *

The extension the call was first answered at.

Extension / Extension Name **

The details of any extensions that were involved in this call segment. On internal and conference calls there may be more than one extension. This can be any device on the telephone system so can include voicemail applications etc.

First Rang Agent / First Rang Agent Name *

The first agent the call rang at.

First Rang Extension / First Rang Extension Name *

The first extension the call rang at.

Hunt Group / Hunt Group Name

The details of the hunt group the current call/call segment was presented from. On non-segmented calls this will be the first hunt group the call was presented to if there was more than one. If the call was not delivered through a hunt group this will be empty.

Last Rang Agent / Last Rang Agent Name *

The last agent the call rang at.

Last Rang Extension / Last Rang Extension Name *

The last extension the call rang at.

Transferred From / Transferred Agent From

The source device/agent if the call was transferred from another location. On non-segmented calls this will be the first device/agent that transferred the call if the call was transferred more than once.

Transferred To / Transferred Agent To


The destination device/agent if the call was transferred to another location. On non-segmented calls this will be the first device/agent that the call was transferred to if the call was transferred more than once.


Trunk Number / Trunk Description

If the call is external, this will contain the information about the trunk line used for the call. On internal calls this will be empty.

Username **


The name of any users associated with the call. On internal calls there may be more than one.


 * This column is only available on the un-segmented call lists.

 ** This column is only available on the segmented call lists.

Tag Field 1 to 5

There are 5 custom fields for each call that can be populated with information by the user. This is most commonly used to attach customer specific information to calls such as account numbers or reference numbers. These number can then be added to reports or used to search and find recordings. Selecting one of the 5 fields here will add them to a call list reports.

 For more information on tagging calls with custom information, please refer to the Phone Manager user guide.

 For more information on naming each custom field, please refer to the [Default Report Settings](#) section.

A status list report is a report that lists each status change individually, rather than grouping changes together to get aggregated figures.

There are two templates that provide call list data:

- ACD Data - ACD Status List
- DND Data - DND Status List

For information about the data that these templates provide, refer to the [Templates](#) sections.

All of the data columns available on call list reports have been split up into the following categories:

[ACD](#) - Information about ACD status changes.

[DND](#) - Information about do-not-disturb status changes.

(All columns below are available on the following templates: ACD Data.)

ACD Status

The ACD status of the agent (Logged on, Free, Busy, Wrap, DND on/off, Logged out).

License Required: ACD Reporter

Agent

The agent ID the event occurred to.

License Required: ACD Reporter

Agent Name

The description of the agent the event occurred to.

License Required: ACD Reporter

DND Message

When the ACD Status is 'DND on', the DND message will be stored here.

License Required: ACD Reporter

DND Text

When the ACD Status is 'DND on', the DND text will be displayed if there was any additional information entered by the agent.

License Required: ACD Reporter

Event Time

The time the ACD status event occurred.

Extension

The extension number the ACD status event occurred on.

Hunt Group

When the ACD Status is 'Logged on/Logged off', the hunt group the agent logged into or out of will be displayed.

License Required: ACD Reporter

Hunt Group Name

When the ACD Status is 'Logged on/Logged off', the name of the hunt group the agent logged into or out of will be displayed.

License Required: ACD Reporter

(All columns below are available on the following templates: DND Data.)

DND Status

The DND status of the extension(DND on/off).

License Required: DND Reporter

DND Message

The DND message associated with the event.

License Required: DND Reporter

DND Text

The DND text associated to the event. This is optional and will only show if there was any additional information entered by the user.

License Required: DND Reporter

Event Time

The time the DND status event occurred.

Extension

The extension number the DND status event occurred on.

Extension Name

The description of the extension the event occurred on.

timesGrouped reports provide aggregated call information (totals, averages, percentages etc.) for devices on the telephone system. For more information on grouped reports, see the [Reporting](#) section.

The data columns listed below are available when selecting any of the grouped call templates:

- Call Data - Calls by Account Code
- Call Data - Calls by Agent
- Call Data - Calls by DDI
- Call Data - Calls by Extension
- Call Data - Calls by Hunt Group
- Call Data - Calls by Start Time
- Call Data - Calls by Telephone Number
- Call Data - Calls by Trunk
- Call Data - Calls by User

For information about the data that these templates provide, refer to the [Templates](#) sections.

All of the data columns available have been split up into the following categories:

[Account Codes](#) - There are 10 account code fields that can be added to grouped reports.

[ACD Times](#) - Average, Percentage, Total time on duty etc

[Call Times \(%\)](#) - Time spent in ringing/talk, number of calls answered/lost with ring durations.

[Call Times \(Average\)](#) - Average talk time, ring time, hold time per call etc.

[Call Times \(Min/Max\)](#) - Longest ringing, shortest ringing, first call at etc.

[Call Times \(Total\)](#) - Total time spent ringing, total time spent talking etc

[Call Totals](#) - Total number of calls in, calls out, calls answered, calls lost etc.

Call Totals (%) - Percentage of calls in, calls out, calls answered calls lost etc.

DND Times (%) - Percentage of time spent in the available DND states.

DND Times (Average) - Average time spent in the available DND states.


DND Times (Max) - Maximum time spent in the available DND states.


DND Times (Total) - Total time spent in the available DND states.

DND Totals - The number of times an extension/agent used a DND state.

Report's Call Totals (%) - Breakdown of total statistics across a report.

Report's Call Times (%) - Breakdown of time statistics across a report.

 There are 20 different DND states for users to choose from. The current name for each DND state on the telephone system is displayed in brackets where applicable. This can be changed on the telephone system and may not have been the name of the DND state when the user selected it.

 Not all columns are available in all grouped report templates.

Account codes can be entered on external calls made on the telephone system. The MCS will store any account code entered against a call segment, if more than one code is entered on a call segment then the last account code will be used for calculating grouped report data.

Up to 10 account codes can be added to grouped reports. Each of the 10 codes can be given a user definable name (see the [Reporting Settings](#) section for more information).

Code 1 to 10

Each of the codes will appear with either the default name (Code 1 to 10) or the user defined name (Sale, Complaint etc). These columns show the total number of calls that this account code was entered on.

(Available on the following templates: Calls by DDI, Calls by Extension, Calls by Hunt Group, Calls by Start Time, Calls by Telephone Number, Calls by Trunk and Calls by User).

% Answered <= Xs or % Answered > Xs *

The number of [Calls Answered](#) within a specific service level as a percentage of [Calls Inbound](#).

% Lost <= Xs or % Lost > Xs *

The number of [Calls Lost](#) within a specific service level as a percentage of [Calls Inbound](#).

% Total Hold Time


The [Total Hold Time](#) as a percentage of [Total Call Time](#).

% Total Ring Time

The [Total Ring Time](#) as a percentage of [Total Call Time](#)..

% Total Talk Time

The [Total Talk Time](#) as a percentage of [Total Call Time](#)..

 * The 6 different call duration values are configured on [Default Report Settings](#) section.

Avg Answer Time (In)

The average [ring duration](#) for all inbound answered calls. This is calculated by taking the total ring duration on answered calls and dividing by [Calls In Answered](#).

Avg Answer Time (Out)

The average [ring duration](#) for all outbound answered calls. This is calculated by taking the total ring duration on answered calls and dividing by [Calls Out Answered](#).

Avg Call Time

The average [call duration](#) for all calls. This is calculated by dividing [Total Call Time](#) by [Calls Handled](#).

Avg Call Time (In)

The average [call duration](#) for all inbound calls. This is calculated by dividing [Total Call Time \(In\)](#) by [Calls Inbound](#).

Avg Call Time (Out)

The average [call duration](#) for all outbound calls. This is calculated by dividing [Total Call Time \(Out\)](#) by [Calls Outbound](#).

Avg Lost Call Time

The average amount of time lost calls spend ringing. This is calculated by dividing the [Total Ring Time \(Lost\)](#) by [Calls Lost](#).

Avg Ring Time

The average amount of time calls spend ringing. This is calculated by dividing [Total Ring Time](#) by [Calls Handled](#).

Avg Ring Time (In)

The average amount of ring time on inbound calls. This is calculated by dividing [Total Ring Time \(In\)](#) by [Calls Inbound](#).

Avg Ring Time (Out)

The average amount of ring time on outbound calls. This is calculated by dividing [Total Ring Time \(Out\)](#) by [Calls Outbound](#).

Avg Talk Time

The average talk time for all calls. This is calculated by dividing [Total Talk Time](#) by [Calls Handled](#).

Avg Talk Time (In)

The average talk time for all inbound calls. This is calculated by dividing [Total Talk Time \(In\)](#) by [Calls Inbound](#).

Avg Talk Time (Out)

The average talk time for all outbound calls. This is calculated by dividing [Total Talk Time \(Out\)](#) by [Calls Outbound](#).

First Call At

The time the first call started ringing.

Last Call At

The time the last call started ringing.

Last Call Answered At

The time of day the last call was answered.

Last Call Ended At

The time of day of the last call that ended.

Max Answer Time (In)

The longest time a single inbound answered call spent in the ringing state.

Max Answer Time (Out)

The longest time a single outbound answered call spent in the ringing state.

Max Call Time

The longest duration for a single call.

Max Call Time (In)

The longest duration of any inbound call.

Max Call Time (Out)

The longest duration of any outbound call.

Max Hold Time

The longest a call was on hold.

Max Hold Time (In)

The longest any inbound call was on hold.

Max Hold Time (Out)

The longest any outbound call was on hold.

Max Ring Time

The longest any call was ringing.

Max Ring Time (Lost)

The longest any lost call was ringing.

Max Ring Time (In)

The longest time an inbound call was ringing.

Max Ring Time (Out)

The maximum time an outbound call spent ringing.

Max Talk Time

The longest time a single call spent in the talking state.

Max Talk Time (In)

The longest time a single inbound call spent in the talking state.

Max Talk Time (Out)

The longest time a single outbound call spent in the talking state.

Min Answer Time (In)

The shortest time an answered inbound call spent in the ringing state.

Min Answer Time (Out)

The shortest time an answered outbound call spent in the ringing state.

Min Call Time

The shortest duration for a single call.

Min Call Time (In)

The shortest duration for a single inbound call.

Min Call Time (Out)

The shortest duration for a single outbound call.

Min Hold Time

The shortest hold time for a single call.

Min Hold Time (In)

The shortest hold time for a single inbound call.

Min Hold Time (Out)

The shortest hold time for a single outbound call.

Min Ring Time

The shortest ring time for a single call.

Min Ring Time (Lost)

The shortest ring time for any lost call.

Min Ring Time (In)

The shortest ring time for any inbound call.

Min Ring Time (Out)

The shortest ring time of all outbound calls.

Min Talk Time

The shortest time a single call spent in the talking state.

Min Talk Time (In)

The shortest time a single inbound call spent in the talking state.

Min Talk Time (Out)

The shortest time a single outbound call spent in the talking state.

Answered <= Xs or Answered > Xs

The total number of inbound calls answered inside each of the 6 service levels.

Lost <= Xs or Lost > Xs

The total number of inbound calls lost inside each of the 6 service levels.

Total Answer Time (In)

The total amount of ring time for all inbound answered calls.

Total Answer Time (Out)

The total amount of ring time for all outbound answered calls.

Total Call Time

The total duration for all calls including ring, hold and talk time.

Total Call Time (In)

The total duration for all inbound calls including ring, hold and talk time.

Total Call Time (Out)

The total duration for all outbound calls including ring, hold and talk time.

Total Hold Time

The total hold duration for all calls.

Total Hold Time (In)

The total hold duration for all inbound calls.

Total Hold Time (Out)

The total hold duration for all outbound calls.

Total Ring Time

The total ring duration for all calls.

Total Ring Time (Lost)

The total ring duration for all lost calls.

Total Ring Time (In)

The total amount of ring time on inbound calls.

Total Ring Time (Out)

The total amount of ring time on outbound calls.

Total Talk Time

The total amount of talk time for all calls.

Total Talk Time (In)

The total amount of talk time for all inbound calls.

Total Talk Time (Out)

The total amount of talk time for all outbound calls.

Calls Answered

The total number of calls answered (inbound and outbound).

Calls Completed

The total number of calls completed (inbound and outbound).

Calls External

The total number of external calls.

Calls Handled

The total number of calls handled (internal and external).

Calls In Ans

The total number of inbound calls that were answered (internal and external).

Calls In Ans External

The total number of inbound calls that were answered (external only).

Calls In Ans Internal

The total number of inbound calls that were answered (internal only).

Calls Inbound

The total number of calls inbound (external only)

Calls In Completed

The total number of inbound calls completed (internal and external).

Calls In External

The total number inbound, external calls.

Calls In Internal

The total number of inbound, internal calls.

Calls In Refused

The total number of inbound calls that alerted but were not answered.

Calls Internal

The total number of internal calls.

Calls Lost

The total number of external inbound calls that weren't answered.

Calls Matched

The total number of external calls matched to a Contact Directory.

Calls Not Matched

The total number of external calls that did not match a Contact Directory record.

Calls Out Ans

The total number of outbound calls that were answered (internal and external).

Calls Out Ans External

The total number of outbound calls that were answered (external only).

Calls Out Ans Internal

The total number of outbound calls that were answered (internal only).

Calls Outbound

The total number of outbound calls (internal and external).

Calls Out Completed

The total number of outbound calls completed (internal and external).

Calls Out External

The total number outbound, external calls.

Calls Out Internal

The total number of outbound, internal calls.

Calls Overflowed In

The total number of inbound calls that overflowed from another device.

Calls Overflowed Out

The total number of inbound calls that overflowed to another device.

Calls Transferred In

The total number of calls transferred to this device

Calls Transferred Out

The total number of calls transferred from this device

Calls With CLI

The total number of inbound external calls received with a Caller ID.

DDI Calls

The total number of external inbound calls that were presented with a DDI.

Recoverable Calls

The total number of abandoned calls that presented a CLI.

Short Calls

The total number of calls that were classified as a Short Call, the talk time (plus hold time) was less than the configured [Short Call](#) value.

Unreturned Lost Calls

The total number of calls that were Lost Calls and not subsequently answered on either an inbound or outbound call.

% Calls In Ans

The number of Calls In Answered as a percentage of Calls In.

% Calls In Ans Ext

The number of Calls In External Answered as a percentage of Calls In External.

% Calls In Ans Int

The number of Calls In Answered Internal as a percentage of Calls In Internal.

% Calls In Completed

The number of Calls In Completed as a percentage of Calls In.

% Calls In Ext

The number of Calls In External as a percentage of Calls In.

% Calls In Int

The number of Calls In Internal as a percentage of Calls In.

% Calls In Refused

The number of Calls Refused as a percentage of Calls In.

% Calls Inbound

The number of Calls Inbound as a percentage of Calls Handled.

% Calls Internal

The number of Calls Internal as a percentage of Calls Handled.

% Calls Lost

The number of Lost Calls as a percentage of Calls In External.

% Calls Matched

The number of Calls Matched as a percentage of Calls External.

% Calls Not Matched

The number of Calls Not Matched as a percentage of Calls External.

% Calls Out Ans

The number of Calls Out Answered as a percentage of Calls Out.

% Calls Out Ans Ext

The number of Calls Out External Answered as a percentage of Calls Out External.

% Calls Out Ans Int

The number of Calls Out Internal Answered as a percentage of Calls Out Internal.

% Calls Out Completed

The number of Calls Out Completed as a percentage of Calls Out.

% Calls Out Ext

The number of Calls Out External as a percentage of Calls Out.

% Calls Out Int

The number of Calls Out Internal as a percentage of Calls Out.

% Calls Outbound

The number of Calls Outbound as a percentage of Calls Handled.

% Calls Overflowed In

The number of Calls Overflowed In as a percentage of the Calls In.

% Calls Overflowed Out

The number of Calls Overflowed Out as a percentage of the Calls Out.

% Calls Transferred In

The number of Calls Transferred In as a percentage of Calls In

% Calls Transferred Out

The number of Calls Transferred Out as a percentage of Calls In

% Calls With CLI

The number of Calls With CLI as a percentage of Calls In External.

% DDI Calls

The number of DDI Calls as a percentage of Calls In External.

% Short Calls

The number of Short Calls as a percentage of Calls Answered.

% Unreturned Lost Calls

The number of Unreturned Lost Calls as a percentage of Calls In External.

% Of All Calls Answered

The number of [Calls Answered](#) as a percentage of all Calls Answered for the report.

% Of All Calls External

The number of [Calls External](#) as a percentage of all Calls External for the report.

% Of All Calls Handled

The number of [Calls Handled](#) as a percentage of all Calls Handled for the report.

% Of All Calls In

The number of [Calls In](#) as a percentage of all Calls In for the report.

% Of All Calls In Ans

The number of [Calls In Answered](#) as a percentage of all Calls In Answered for the report.

% Of All Calls In Ans Ext

The number of [Calls In Answered External](#) as a percentage of all Calls In Answered External for the report.

% Of All Calls In Ans Int

The number of [Calls In Answered Internal](#) as a percentage of all Calls In Answered Internal for the report.

% Of All Calls In Completed

The number of [Calls In Completed](#) as a percentage of all Calls In Completed for the report.

% Of All Calls In Ext

The number of [Calls In External](#) as a percentage of all Calls In External for the report.

% Of All Calls In Int

The number of [Calls In Internal](#) as a percentage of all Calls In Internal for the report.

% Of All Calls In Refused

The number of [Calls Refused](#) as a percentage of all Calls Refused for the report.

% Of All Calls Internal

The number of [Calls Internal](#) as a percentage of all Calls Internal for the report.

% Of All Calls Lost

The number of [Lost Calls](#) as a percentage of all Lost Calls for the report.

% Of All Calls Matched

The number of [Calls Matched](#) as a percentage of all Calls Matched for the report.

% Of All Calls Not Matched

The number of [Calls Not Matched](#) as a percentage of all Calls Not Matched for the report.

% Of All Calls Out

The number of [Calls Out](#) as a percentage of all Calls Out for the report.

% Of All Calls Out Ans

The number of [Calls Out Answered](#) as a percentage of all Calls Out Answered for the report.

% Of All Calls Out Ans Ext

The number of [Calls Out Ans External](#) as a percentage of all Calls Out Ans External for the report.

% Of All Calls Out Ans Int

The number of [Calls Out Ans Internal](#) as a percentage of all Calls Out Ans Internal for the report.

% Of All Calls Out Completed

The number of [Calls Out Completed](#) as a percentage of all Calls Out Completed for the report.

% Of All Calls Out Ext

The number of [Calls Out External](#) as a percentage of all Calls Out External for the report.

% Of All Calls Out Int

The number of [Calls Out Internal](#) as a percentage of all Calls Out Internal for the report.

% Of All Calls Overflowed In

The number of [Calls Overflowed In](#) as a percentage of all Calls Overflowed In for the report.

% Of All Calls Overflowed Out

The number of [Calls Overflowed Out](#) as a percentage of all Calls Overflowed Out for the report.

% Of All Calls Transferred In

The number of [Calls Transferred In](#) as a percentage of all Calls Transferred In for the report.

% Of All Calls Transferred Out

The number of [Calls Transferred Out](#) as a percentage of all Calls Transferred Out for the report.

% Of All Calls With CLI

The number of [Calls With CLI](#) as a percentage of all Calls With CLI for the report.

% Of All DID Calls

The number of [DID Calls](#) as a percentage of all DID Calls for the report.

% Of All Short Calls

The number of [Short Calls](#) as a percentage of all Short Calls for the report.

% Of All Unreturned Lost Calls

The number of [Unreturned Lost Calls](#) as a percentage of all Unreturned Lost Calls for the report.

% Of All Ans <= Xs or % Of All Ans > Xs

The number of calls answered with one of the 6 service levels as a percentage of all of the calls answered in the same service level for the report.

% Of All Lost <= Xs or % Of All Lost > Xs

The number of calls lost within one of the 6 service levels as a percentage of all call lost in the same service level for the report.

% Of All Total Call Time

The [Total Call Time](#) as a percentage of the entire Total Call Time for the report.

% Of All Total Hold Time

The [Total Hold Time](#) as a percentage of the entire Total Hold Time for the report.

% Of All Total Ring Time

The [Total Ring Time](#) as a percentage of the entire Total Ring Time for the report.

% Of All Total Talk Time

The [Total Talk Time](#) as a percentage of the entire Total Talk Time for the report.

% Time In Busy

The [Time In Busy](#) as a percentage of [Time On Duty](#).

License Required: ACD Reporter

% Time In Busy N/A

The [Time In Busy N/A](#) as a percentage of [Time On Duty](#).

License Required: ACD Reporter

% Time In Free

The [Time In Free](#) as a percentage of [Time On Duty](#).

License Required: ACD Reporter

% Time In Wrapup

The [Time In Wrapup](#) as a percentage of [Time On Duty](#).

License Required: ACD Reporter

Avg Time Busy

The average time an agent spends in the busy state. [Time In Busy](#) divided by [Times In Busy](#)

License Required: ACD Reporter

Avg Time Busy N/A

The average time an agent spends in the busy not available state (DND). [Time In Busy N/A](#) divided by [Times In Busy N/A](#)

License Required: ACD Reporter

Avg Time Free

The average time an agent spends in the free state. [Time In Free](#) divided by [Times In Free](#)

License Required: ACD Reporter

Avg Time In Wrapup

The average time an agent spends in the wrapup state. [Time In Wrapup](#) divided by [Times In Wrapup](#)

License Required: ACD Reporter

Avg Time On Duty

The average time an agent spends logged into the telephone system. [Time On Duty](#) divided by [Times Logged In](#)

License Required: ACD Reporter

First Logon Time

The first time that an agent logged onto the telephone system.

License Required: ACD Reporter

Last Logoff Time

The last time that an agent logged out the telephone system.

License Required: ACD Reporter

Last Logon Time

The last time that an agent logged onto the telephone system.

License Required: ACD Reporter

Time In Busy

The total time an agent has spent in the busy state.

License Required: ACD Reporter

Time In Busy N/A

The total time an agent has spent in the busy not available state (this is the same as DND).

License Required: ACD Reporter

Time In Free

The total time an agent has spent in the free state.

License Required: ACD Reporter

Time In Wrapup

The total time an agent has spent in the wrapup state.

License Required: ACD Reporter

Time On Duty

The total time an agent has spent logged into the telephone system.

License Required: ACD Reporter

Times In Busy

The number of times the [ACD Status](#) of the agent went into the busy state.

License Required: ACD Reporter

Times In Busy N/A

The number of times the [ACD Status](#) of the agent went into the busy not available state (this is the same as DND).

License Required: ACD Reporter

Times In Free

The number of times the [ACD Status](#) of the agent went into the free state.

License Required: ACD Reporter

Times In Wrapup

The number of times the [ACD Status](#) of the agent went into the wrapup state.

License Required: ACD Reporter

Times Logged In

The number of times the the agent transitioned from being logged out to being logged in.

License Required: ACD Reporter

Unlicensed Agents

The number of agents currently logged in that don't have an ACD Reporting User license.

% Time In DND 1 to 20

The amount of time spent in a specific DND message state as a percentage of total time for the report.

License Required: DND Reporter

% Time In DND

The amount of time spent in any DND message state as a percentage of total time for the report.

License Required: DND Reporter

Avg Time In DND 1 to 20

The average amount of time the extension spent in each of the 20 available DND states.

License Required: DND Reporter

Avg Time In DND

The average amount of time the extension spent in any of the DND states.

License Required: DND Reporter

Longest Time In DND 1 to 20

The longest time an extension spent in each of the DND states.

License Required: DND Reporter

Longest Time In DND

The longest time an extension spent in any of the DND states.

License Required: DND Reporter

Time In DND 1 to 20

The total time an extension spent in each of the available DND states.

License Required: DND Reporter

Time In DND

The combined total time an extension spent in any of the DND states.

License Required: DND Reporter

Times In DND 1 to 20

The number of times an extension enter the select DND state. There are 20 DND states to select from.

License Required: DND Reporter

Times In DND

The total number of times an extension went into any of the 20 DND states.

License Required: DND Reporter

The following information fields are available in the Config Data report [templates](#).

Device Number

The number of the device. This could be the trunk, agent ID, extension number or DID depending on the report run.

Description

The description given to the device on the telephone system.

Node ID

The node number of the telephone system on which the device resides.

The following data fields are only available on [Real-Time Views](#), not in any of the [Historical Report Templates](#).

[Active Call Statistics](#) - Data relating to calls that are currently active on the telephone system etc

[Miscellaneous](#) - Current Date, Time etc

Call Rate

The number of external calls in the current call rate period.

Calls Active

The total number of active calls (any call whether ringing, hold or in progress)

Calls Busy

The total number of calls in the ringing or connected state

Calls Busy External

The total number of external calls in the ringing or connected state

Calls Busy External In

The total number of external inbound calls in the ringing or connected state

Calls Busy External Out

The total number of external outbound calls in the ringing or connected state

Calls Busy Internal

The total number of internal calls in the ringing or connected state

Calls In Progress

The total number of calls currently in a connected state.

Calls In Progress External

The total number of external calls in the connected state.

Calls In Progress External In

The total number of external inbound calls in the connected state

Calls In Progress External Out

The total number of external outbound calls in the connected state

Calls In Progress Internal

The total number of internal calls in the connected state

Calls On Hold

The total number of calls in the hold state.

Calls On Hold External

The total number of external calls in the hold state.

Calls On Hold External In

The total number of external inbound calls in the hold state.

Calls On Hold External Out

The total number of external outbound calls in the hold state.

Calls On Hold Internal

The total number of internal calls in the hold state.

Calls Ringing

The total number of calls in the ringing state.

Calls Ringing External

Total number of external calls in the ringing state.

Calls Ringing External In

The total number of external inbound calls in the ringing state.

Calls Ringing External Out

The total number of external outbound calls in the ringing state.

Calls Ringing Internal

The total number of internal calls in the ringing state.

Inbound Call Rate

The number of inbound external calls in the last [Call Rate](#) period.

Longest Call (Call Time)

The longest call time of any active call on the telephone system.

Longest Call (Talk Time)

The longest talk time of any active call on the telephone system.

Longest Call (Ring Time)

The longest ring time of any active call on the telephone system, this includes connected calls that rang.

Longest Waiting

The longest ring time of a call in the ringing state.

Lost Call Rate

The number of lost calls in the last [Call Rate](#) period.

Outbound Call Rate

The number of outbound external calls in the last [Call Rate](#) period.

Current Date

The current date.

Current Date / Time

The current date and time.

Current Time

The current time.

Current Year


The current year.

Day of Month

The current day of the month.

Day of Week

The current day of the week.

 All dates and times shown relate to the current time on the server running the solution.

10 Index

Appendix, 55-80

Call Recorder, 41-47

Client Installation, 28-40

Filters, Folders & Settings, 48-54

Introduction, 4-6

Mitel Back Page, 82

Mitel Communication Service - Technical Manual, 1

Notice, 3

Real-Time Reporting, 12-27

What's New, 7-11



mitel.com

© Copyright 2018, Mitel Networks Corporation. All Rights Reserved. The Mitel word and logo are trademarks of Mitel Networks Corporation. Any reference to third party trademarks are for reference only and Mitel makes no representation of ownership of these marks.